

HEDIS® MEASUREMENT YEAR (MY) 2020 PATIENT-LEVEL FILE SPECIFICATIONS, File 1 of 2

3.1 HEADER RECORD

Note: Include one header row per file as the first record.

- Column 1: Record Identifier—use the tilde (~) character to start the line.  
Column 2-6: CMS Contract Number—only one contract number per submission (e.g., H1205, R1234).  
Column 7-66: Organization Name—as reported to NCQA for summary-level data submission.  
Column 67-71: Submission ID—the unique identifier assigned by NCQA to the CMS contract for summary-level data submission.

\*Due to the addition of 5-digit submission IDs, please follow the guidelines below:  
Submission IDs must be left justified and 4-digit submission IDs should blank fill column 71.

Example: In columns 67 – 71, a 5-digit ID would be entered as (12345).  
A 4-digit ID would be entered starting at column 67 as (1234) with '1' in column 67, leaving column 71 blank.

Column 72-827: Blank fill with spaces.

Specifications - Reporting patient-level data should encompass only the members included in the timeframes used in summary measures submitted by your plan;  
i.e., HEDIS specifications regarding timeframes should be strictly followed for each measure and should in no instance include experience from 2021.

Specifications - The sum of a field should equal the numerator or denominator for the corresponding measure entered in the HEDIS MY 2020 Interactive Data Submission System (IDSS) for that measure.

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
1-12		12	HICN or MBI  HICN - A beneficiary's individual Health Insurance Claim Number  MBI - A beneficiary's Medicare Beneficiary Identifier	HICN - A beneficiary's individual health insurance claim number. For most beneficiaries, the HICN consists of a nine-digit Social Security Number followed by one or two alphanumeric characters (e.g., 111223333A, 123456789C1). Only beneficiaries entitled to Medicare under the Railroad Retirement Board will have a different format, usually starting with one or two alpha characters (e.g., WA123456). All alpha characters must be capitalized.  The HICN must be a continuous string, with no hyphens or embedded spaces. Blank fill with spaces to right of value.  MBI - MBI has 11 characters. MBIs are numbers and upper-case letters. MBI uses numbers 0-9 and all letters from A to Z, except for S, L, O, I, B, and Z. The MBI's 2nd, 5th, 8th, and 9th positions will always be a letter, except for S, L, O, I, B, and Z. Positions 1st, 4th, 7th, 10th, and 11th will always be a number. Even though Position 1 allows numbers, it cannot contain the number "0". The 3rd and 6th positions will be a letter or a number. MBI does not have spaces and dashes. The MBI must be a continuous string, with no hyphens or embedded spaces.  For a list of valid HICN formats and MBI formats, please refer to Section 2.3 and 2.5 in 'HEDIS_MY_2020_Patient_Level_Data_File_Specifications_File_1_of_2.docx.' This field is mandatory—do not leave blank.  <b>NOTE: Submit either HICN or MBI.</b>
13-36		24	Last Name. A beneficiary's individual Last Name	The Last Name must be filled by no more than 24 characters. Blank fill with spaces to right of value. This field is mandatory—do not leave blank.
37-51		15	First Name. A beneficiary's individual First Name	The First Name must be filled by no more than 15 characters. Blank fill with spaces to right of value. This field is mandatory—do not leave blank.
52-73		22	City. A beneficiary's individual City of residence	The City must be filled by no more than 22 characters. Blank fill with spaces to right of value. This field is mandatory—do not leave blank.
74-75		2	State. A beneficiary's individual State of residence	The State must be filled with the postal code (ex. Maryland would be MD). This field is mandatory—do not leave blank.
76-80		5	Zip Code. A beneficiary's individual Zip Code	The Zip Code must be filled with 5 digits. This field is mandatory—do not leave blank. NOTE: This field is to be submitted as a 5 digit numeric field to avoid dropping leading zeroes. Only numbers (0-9) may be used as each digit.
81		1	Sex. A beneficiary's gender assigned at birth	Enter: 'F' if this member is female 'M' if this member is male 'O' if the member refused to provide gender This field is mandatory—do not leave blank.
82-89		8	Birth Date. A beneficiary's individual Birth Date	The Birth Date must contain 8 digits with Month, Day, Year in the Format MMDDYYYY (ex. May 3, 1970 would be 05031970) No characters other than numbers are allowed This field is mandatory—do not leave blank.
90-92		3	Plan ID Number. A beneficiary's assigned plan benefit number	The 3 digit number assigned to the specific plan benefit package that the beneficiary is enrolled in under the contract number identified in the Header record (e.g., 001, 045, 134). NOTE: This field is to be submitted as a 3 digit character field to avoid dropping leading zeroes. However, only numbers (0-9) may be used as each digit.
93		1	SNP Enrollee Type. SNP benefit package at end of measurement year	Enter: '0' if this member is NOT enrolled in an SNP plan benefit package '1' if this member is enrolled in a DUAL ELIGIBLE SNP benefit package '2' if this member is enrolled in an INSTITUTIONAL SNP benefit package '3' if this member is enrolled in a CHRONIC CONDITION SNP benefit package
94-95		2	Member Months. The member month contribution (MMC) this member adds to the denominator. Each Medicare enrollee in a given contract should be listed in the text file. The MMC is simply the number of months each Medicare member was enrolled in the contract in the measurement year. The MMC pertains only to Utilization measures; it does not apply to the Effectiveness of Care or Readmission measures, and does not vary by measure. The Enrollment by Product Line (ENP) measure should be used to determine member months.	Each member should have an MMC value between 0 and 12
96	COL	1	Denominator for Colorectal Cancer Screening (COL)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
97	COL	1	Numerator for Colorectal Cancer Screening (COL)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
98	BCS	1	Denominator for Breast Cancer Screening (BCS)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
99	BCS	1	Numerator for Breast Cancer Screening (BCS)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
100	OMW	1	Denominator for Osteoporosis Management in Women Who Had a Fracture (OMW)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
101	OMW	1	Numerator for Osteoporosis Management in Women Who Had a Fracture (OMW)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
102	CBP	1	Denominator for Controlling High Blood Pressure (CBP)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
103	CBP	1	Numerator for Controlling High Blood Pressure (CBP)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
104	PBH	1	Denominator for Persistence of Beta-Blocker Treatment After a Heart Attack (PBH)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
105	PBH	1	Numerator for Persistence of Beta-Blocker Treatment After a Heart Attack (PBH)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
106	CDC	1	Denominator for Comprehensive Diabetes Care (CDC): HbA1c Testing	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
107	CDC	1	Numerator for Comprehensive Diabetes Care (CDC): HbA1c Testing	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
108	CDC	1	Denominator for Comprehensive Diabetes Care (CDC): HbA1c Poor Control >9%	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
109	CDC	1	Numerator for Comprehensive Diabetes Care (CDC): HbA1c Poor Control >9%	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
110	CDC	1	Denominator for Comprehensive Diabetes Care (CDC): HbA1c Control <8%	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
111	CDC	1	Numerator for Comprehensive Diabetes Care (CDC): HbA1c Control <8%	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
112	CDC	1	Denominator for Comprehensive Diabetes Care (CDC) Eye exam (retinal) performed	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
113	CDC	1	Numerator for Comprehensive Diabetes Care (CDC): Eye exam (retinal) performed	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
114	CDC	1	Denominator for Comprehensive Diabetes Care (CDC): Medical Attention for Nephropathy	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
115	CDC	1	Numerator for Comprehensive Diabetes Care (CDC): Medical Attention for Nephropathy	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
116	CDC	1	Denominator for Comprehensive Diabetes Care (CDC): Blood pressure control <140/90 mm Hg	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
117	CDC	1	Numerator for Comprehensive Diabetes Care (CDC): Blood pressure control <140/90 mm Hg	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
118	SPR	1	Denominator for Use of Spirometry Testing in the Assessment and Diagnosis of COPD (SPR)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
119	SPR	1	Numerator for Use of Spirometry Testing in the Assessment and Diagnosis of COPD (SPR)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
120-121	PCE	2	Denominator for Pharmacotherapy Management of COPD Exacerbation (PCE)	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
122-123	PCE	2	Numerator for Pharmacotherapy Management of COPD Exacerbation (PCE): Systemic Corticosteroid	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
124-125	PCE	2	Numerator for Pharmacotherapy Management of COPD Exacerbation (PCE): Bronchodilator	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
126-127	FUH	2	Denominator for Follow-Up After Hospitalization for Mental Illness (FUH): 6-17 years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
128-129	FUH	2	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 6-17 years, 30-day Follow-Up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
130-131	FUH	2	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 6-17 years, 7-day Follow-Up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
132-133	FUH	2	Denominator for Follow-Up After Hospitalization for Mental Illness (FUH): 18-64 years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
134-135	FUH	2	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 18-64 years, 30-day Follow-Up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
136-137	FUH	2	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 18-64 years, 7-day Follow-Up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
138-139	FUH	2	Denominator for Follow-Up After Hospitalization for Mental Illness (FUH): 65+ years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
140-141	FUH	2	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 65+ years, 30-day Follow-Up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
142-143	FUH	2	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 65+ years, 7-day Follow-Up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
144	AMM	1	Denominator for Antidepressant Medication Management (AMM)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
145	AMM	1	Numerator for Antidepressant Medication Management (AMM): Effective Acute Phase Treatment	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
146	AMM	1	Numerator for Antidepressant Medication Management (AMM): Effective Continuation Phase Treatment	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
147	ART	1	Denominator for Disease-Modifying Anti-Rheumatic Drug Therapy for Rheumatoid Arthritis (ART)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
148	ART	1	Numerator for Disease-Modifying Anti-Rheumatic Drug Therapy for Rheumatoid Arthritis (ART)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
149	DAE	1	Denominator for Use of High-Risk Medications in Older Adults (DAE)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
150	DAE	1	Numerator for Use of High-Risk Medications in Older Adults (DAE): Rate 1	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
151	DAE	1	Numerator for Use of High-Risk Medications in Older Adults (DAE): Rate 2	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
152	DAE	1	Numerator for Use of High-Risk Medications in Older Adults (DAE): Total Rate	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
153	DDE	1	Denominator 1 for Potentially Harmful Drug-Disease Interactions in Older Adults (DDE): Rate 1	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
154	DDE	1	Numerator 1 for Potentially Harmful Drug-Disease Interactions in Older Adults (DDE): Rate 1	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
155	DDE	1	Denominator 2 for Potentially Harmful Drug-Disease Interactions in Older Adults (DDE): Rate 2	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
156	DDE	1	Numerator 2 for Potentially Harmful Drug-Disease Interactions in Older Adults (DDE): Rate 2	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
157	DDE	1	Denominator 3 for Potentially Harmful Drug-Disease Interactions in Older Adults (DDE): Rate 3	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
158	DDE	1	Numerator 3 for Potentially Harmful Drug-Disease Interactions in Older Adults (DDE): Rate 3	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
159	AAP	1	Denominator for Adults' Access to Preventive/Ambulatory Health Services (AAP): Ages 20-44	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
160	AAP	1	Numerator for Adults' Access to Preventive/Ambulatory Health Services (AAP): Ages 20-44	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
161	AAP	1	Denominator for Adults' Access to Preventive/Ambulatory Health Services (AAP): Ages 45-64	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
162	AAP	1	Numerator for Adults' Access to Preventive/Ambulatory Health Services (AAP): Ages 45-64	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
163	AAP	1	Denominator for Adults' Access to Preventive/Ambulatory Health Services (AAP): Ages 65+	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
164	AAP	1	Numerator for Adults' Access to Preventive/Ambulatory Health Services (AAP): Ages 65+	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
165	IET	1	Denominator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): 13-17 years Alcohol abuse or dependence	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
166	IET	1	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Initiation of AOD Treatment, 13-17 years Alcohol abuse or dependence	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
167	IET	1	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Engagement of AOD Treatment, 13-17 years Alcohol abuse or dependence	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
168	IET	1	Denominator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): 13-17 years Opioid abuse or dependence	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
169	IET	1	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Initiation of AOD Treatment, 13-17 years Opioid abuse or dependence	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
170	IET	1	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Engagement of AOD Treatment, 13-17 years Opioid abuse or dependence	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
171	IET	1	Denominator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): 13-17 years Other drug abuse or dependence	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
172	IET	1	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Initiation of AOD Treatment, 13-17 years Other drug abuse or dependence	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
173	IET	1	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Engagement of AOD Treatment, 13-17 years Other drug abuse or dependence	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
174	IET	1	Denominator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): 13-17 years Total	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
175	IET	1	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Initiation of AOD Treatment, 13-17 years Total	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
176	IET	1	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Engagement of AOD Treatment, 13-17 years Total	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
177	IET	1	Denominator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): 18+ years Alcohol abuse or dependence	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
178	IET	1	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Initiation of AOD Treatment, 18+ years Alcohol abuse or dependence	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
179	IET	1	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Engagement of AOD Treatment, 18+ years Alcohol abuse or dependence	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
180	IET	1	Denominator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): 18+ years Opioid abuse or dependence	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
181	IET	1	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Initiation of AOD Treatment, 18+ years Opioid abuse or dependence	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
182	IET	1	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Engagement of AOD Treatment, 18+ years Opioid abuse or dependence	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
183	IET	1	Denominator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): 18+ years Other drug abuse or dependence	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
184	IET	1	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Initiation of AOD Treatment, 18+ years Other drug abuse or dependence	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
185	IET	1	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Engagement of AOD Treatment, 18+ years Other drug abuse or dependence	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
186	IET	1	Denominator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): 18+ years Total	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
187	IET	1	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Initiation of AOD Treatment, 18+ years Total	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
188	IET	1	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Engagement of AOD Treatment, 18+ years Total	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
189-191	FSP	3	Number of procedures for Frequency of Selected Procedures (FSP): Bariatric weight loss surgery	Enter: The number of times this member is in the count '0' if the member is not in the count
192-194	FSP	3	Number of procedures for Frequency of Selected Procedures (FSP): CABG	Enter: The number of times this member is in the count '0' if the member is not in the count
195-197	FSP	3	Number of procedures for Frequency of Selected Procedures (FSP): PCI	Enter: The number of times this member is in the count '0' if the member is not in the count
198-200	FSP	3	Number of procedures for Frequency of Selected Procedures (FSP): Cardiac catheterization	Enter: The number of times this member is in the count '0' if the member is not in the count
201-203	FSP	3	Number of procedures for Frequency of Selected Procedures (FSP): Carotid endarterectomy	Enter: The number of times this member is in the count '0' if the member is not in the count
204-206	FSP	3	Number of procedures for Frequency of Selected Procedures (FSP): Open Cholecystectomy	Enter: The number of times this member is in the count '0' if the member is not in the count
207-209	FSP	3	Number of procedures for Frequency of Selected Procedures (FSP): Laparoscopic cholecystectomy	Enter: The number of times this member is in the count '0' if the member is not in the count
210-212	FSP	3	Number of procedures for Frequency of Selected Procedures (FSP): Back surgery	Enter: The number of times this member is in the count '0' if the member is not in the count
213-215	FSP	3	Number of procedures for Frequency of Selected Procedures (FSP): Abdominal hysterectomy	Enter: The number of times this member is in the count '0' if the member is not in the count
216-218	FSP	3	Number of procedures for Frequency of Selected Procedures (FSP): Vaginal hysterectomy	Enter: The number of times this member is in the count '0' if the member is not in the count
219-221	FSP	3	Number of procedures for Frequency of Selected Procedures (FSP): Prostatectomy	Enter: The number of times this member is in the count '0' if the member is not in the count

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
222-224	FSP	3	Number of procedures for Frequency of Selected Procedures (FSP): Total hip replacement	Enter: The number of times this member is in the count '0' if the member is not in the count
225-227	FSP	3	Number of procedures for Frequency of Selected Procedures (FSP): Total knee replacement	Enter: The number of times this member is in the count '0' if the member is not in the count
228-230	FSP	3	Number of procedures for Frequency of Selected Procedures (FSP): Mastectomy	Enter: The number of times this member is in the count '0' if the member is not in the count
231-233	FSP	3	Number of procedures for Frequency of Selected Procedures (FSP): Lumpectomy	Enter: The number of times this member is in the count '0' if the member is not in the count
234	IAD	1	Identification of Alcohol and Other Drug Services (IAD): Percentage of Members Receiving Any Service - Alcohol Disorder	Enter: '1' if this member has any service '0' if the member does not have any service OR the information is missing
235	IAD	1	Identification of Alcohol and Other Drug Services (IAD): Percentage of Members Receiving Any Service - Opioid Disorder	Enter: '1' if this member has any service '0' if the member does not have any service OR the information is missing
236	IAD	1	Identification of Alcohol and Other Drug Services (IAD): Percentage of Members Receiving Any Service - Other or Unspecified Drug Disorders	Enter: '1' if this member has any service '0' if the member does not have any service OR the information is missing
237	IAD	1	Identification of Alcohol and Other Drug Services (IAD): Percentage of Members Receiving Any Service - Total	Enter: '1' if this member has any service '0' if the member does not have any service OR the information is missing
238	IAD	1	Identification of Alcohol and Other Drug Services (IAD): Percentage of Members Receiving Inpatient Services - Alcohol Disorder	Enter: '1' if this member has an inpatient service '0' if the member does not have an inpatient service OR the information is missing
239	IAD	1	Identification of Alcohol and Other Drug Services (IAD): Percentage of Members Receiving Inpatient Services - Opioid Disorder	Enter: '1' if this member has an inpatient service '0' if the member does not have an inpatient service OR the information is missing
240	IAD	1	Identification of Alcohol and Other Drug Services (IAD): Percentage of Members Receiving Inpatient Services - Other or Unspecified Drug Disorders	Enter: '1' if this member has an inpatient service '0' if the member does not have an inpatient service OR the information is missing
241	IAD	1	Identification of Alcohol and Other Drug Services (IAD): Percentage of Members Receiving Inpatient Services - Total	Enter: '1' if this member has an inpatient service '0' if the member does not have an inpatient service OR the information is missing
242	IAD	1	Identification of Alcohol and Other Drug Services (IAD): Percentage of Members Receiving Intensive Outpatient or Partial Hospitalization Services - Alcohol Disorder	Enter: '1' if this member has an Intensive outpatient or partial hospitalization service '0' if the member does not have and Intensive outpatient or partial hospitalization service OR the information is missing
243	IAD	1	Identification of Alcohol and Other Drug Services (IAD): Percentage of Members Receiving Intensive Outpatient or Partial Hospitalization Services - Opioid Disorder	Enter: '1' if this member has an Intensive outpatient or partial hospitalization service '0' if the member does not have and Intensive outpatient or partial hospitalization service OR the information is missing
244	IAD	1	Identification of Alcohol and Other Drug Services (IAD): Percentage of Members Receiving Intensive Outpatient or Partial Hospitalization Services - Other or Unspecified Drug Disorders	Enter: '1' if this member has an Intensive outpatient or partial hospitalization service '0' if the member does not have and Intensive outpatient or partial hospitalization service OR the information is missing
245	IAD	1	Identification of Alcohol and Other Drug Services (IAD): Percentage of Members Receiving Intensive Outpatient or Partial Hospitalization Services - Total	Enter: '1' if this member has an Intensive outpatient or partial hospitalization service '0' if the member does not have and Intensive outpatient or partial hospitalization service OR the information is missing
246	IAD	1	Identification of Alcohol and Other Drug Services (IAD): Percentage of Members Receiving Outpatient/Medication Treatment - Alcohol Disorder	Enter: '1' if this member has an Outpatient/MAT Service '0' if the member does not have an Outpatient Service OR the information is missing
247	IAD	1	Identification of Alcohol and Other Drug Services (IAD): Percentage of Members Receiving Outpatient/Medication Treatment - Opioid Disorder	Enter: '1' if this member has an Outpatient/MAT Service '0' if the member does not have an Outpatient Service OR the information is missing
248	IAD	1	Identification of Alcohol and Other Drug Services (IAD): Percentage of Members Receiving Outpatient/Medication Treatment - Other or Unspecified Drug Disorders	Enter: '1' if this member has an Outpatient/MAT Service '0' if the member does not have an Outpatient Service OR the information is missing
249	IAD	1	Identification of Alcohol and Other Drug Services (IAD): Percentage of Members Receiving Outpatient/Medication Treatment - Total	Enter: '1' if this member has an Outpatient/MAT Service '0' if the member does not have an Outpatient Service OR the information is missing
250	IAD	1	Identification of Alcohol and Other Drug Services (IAD): Percentage of Members Receiving ED Services - Alcohol Disorder	Enter: '1' if this member has an ED Service '0' if the member does not have an ED Service OR the information is missing
251	IAD	1	Identification of Alcohol and Other Drug Services (IAD): Percentage of Members Receiving ED Services - Opioid Disorder	Enter: '1' if this member has an ED Service '0' if the member does not have an ED Service OR the information is missing

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
252	IAD	1	Identification of Alcohol and Other Drug Services (IAD): Percentage of Members Receiving ED Services - Other or Unspecified Drug Disorders	Enter: '1' if this member has an ED Service '0' if the member does not have an ED Service OR the information is missing
253	IAD	1	Identification of Alcohol and Other Drug Services (IAD): Percentage of Members Receiving ED Services - Total	Enter: '1' if this member has an ED Service '0' if the member does not have an ED Service OR the information is missing
254	IAD	1	Identification of Alcohol and Other Drug Services (IAD): Percentage of Members Receiving Telehealth Services - Alcohol Disorder	Enter: '1' if this member has a Telehealth Service '0' if the member does not have a Telehealth Service OR the information is missing
255	IAD	1	Identification of Alcohol and Other Drug Services (IAD): Percentage of Members Receiving Telehealth Services - Opioid Disorder	Enter: '1' if this member has a Telehealth Service '0' if the member does not have a Telehealth Service OR the information is missing
256	IAD	1	Identification of Alcohol and Other Drug Services (IAD): Percentage of Members Receiving Telehealth Services - Other or Unspecified Drug Disorders	Enter: '1' if this member has a Telehealth Service '0' if the member does not have a Telehealth Service OR the information is missing
257	IAD	1	Identification of Alcohol and Other Drug Services (IAD): Percentage of Members Receiving Telehealth Services - Total	Enter: '1' if this member has a Telehealth Service '0' if the member does not have a Telehealth Service OR the information is missing
258-261	ABX	4	Antibiotic Utilization (ABX): Total number of antibiotic prescriptions	Enter: The number of times this member is in the count '0' if the member is not in the count
262-265	ABX	4	Antibiotic Utilization (ABX): Total days supplied for all antibiotic prescriptions	Enter: The total number of days for this member '0' if the member did not have any days
266-269	ABX	4	Antibiotic Utilization (ABX): Total number of prescriptions for antibiotics of concern	Enter: The number of times this member is in the count '0' if the member is not in the count
270-273	ABX	4	Antibiotic Utilization (ABX): Antibiotics of Concern—Quinolones	Enter: The number of times this member is in the count '0' if the member is not in the count
274-277	ABX	4	Antibiotic Utilization (ABX): Antibiotics of Concern—Cephalosporins 2nd-4th Generation	Enter: The number of times this member is in the count '0' if the member is not in the count
278-281	ABX	4	Antibiotic Utilization (ABX): Antibiotics of Concern—Azithromycin and Clarithromycin	Enter: The number of times this member is in the count '0' if the member is not in the count
282-285	ABX	4	Antibiotic Utilization (ABX): Antibiotics of Concern—Amoxicillin/Clavulanate	Enter: The number of times this member is in the count '0' if the member is not in the count
286-289	ABX	4	Antibiotic Utilization (ABX): Antibiotics of Concern—Ketolides	Enter: The number of times this member is in the count '0' if the member is not in the count
290-293	ABX	4	Antibiotic Utilization (ABX): Antibiotics of Concern—Clindamycin	Enter: The number of times this member is in the count '0' if the member is not in the count
294-297	ABX	4	Antibiotic Utilization (ABX): Miscellaneous Antibiotics of Concern	Enter: The number of times this member is in the count '0' if the member is not in the count
298-301	ABX	4	Antibiotic Utilization (ABX): All Other Antibiotics—Absorbable Sulfonamides	Enter: The number of times this member is in the count '0' if the member is not in the count
302-305	ABX	4	Antibiotic Utilization (ABX): All Other Antibiotics—Aminoglycosides	Enter: The number of times this member is in the count '0' if the member is not in the count
306-309	ABX	4	Antibiotic Utilization (ABX): All Other Antibiotics—First Generation Cephalosporins	Enter: The number of times this member is in the count '0' if the member is not in the count
310-313	ABX	4	Antibiotic Utilization (ABX): All Other Antibiotics—Lincosamides (other than Clindamycin)	Enter: The number of times this member is in the count '0' if the member is not in the count
314-317	ABX	4	Antibiotic Utilization (ABX): All Other Antibiotics—Macrolides (other than Azithromycin and Clarithromycin)	Enter: The number of times this member is in the count '0' if the member is not in the count
318-321	ABX	4	Antibiotic Utilization (ABX): All Other Antibiotics—Penicillins	Enter: The number of times this member is in the count '0' if the member is not in the count



COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
322-325	ABX	4	Antibiotic Utilization (ABX): All Other Antibiotics—Tetracyclines	Enter: The number of times this member is in the count '0' if the member is not in the count
326-329	ABX	4	Antibiotic Utilization (ABX): All Other Antibiotics—Miscellaneous Antibiotics	Enter: The number of times this member is in the count '0' if the member is not in the count
330	PSA	1	Denominator for Non-Recommended PSA-Based Screening in Older Men (PSA)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
331	PSA	1	Numerator for Non-Recommended PSA-Based Screening in Older Men (PSA)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
332	SPC	1	Denominator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Males 21-75, Received Statin Therapy	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
333	SPC	1	Numerator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Males 21-75, Received Statin Therapy	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
334	SPC	1	Denominator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Males 21-75, Statin Adherence 80%	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
335	SPC	1	Numerator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Males 21-75, Statin Adherence 80%	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
336	SPC	1	Denominator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Females 40-75, Received Statin Therapy	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
337	SPC	1	Numerator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Females 40-75, Received Statin Therapy	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
338	SPC	1	Denominator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Females 40-75, Statin Adherence 80%	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
339	SPC	1	Numerator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Females 40-75, Statin Adherence 80%	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
340	SPD	1	Denominator for Statin Therapy for Patients With Diabetes (SPD): Received Statin Therapy	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
341	SPD	1	Numerator for Statin Therapy for Patients With Diabetes (SPD): Received Statin Therapy	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
342	SPD	1	Denominator for Statin Therapy for Patients With Diabetes (SPD): Statin Adherence 80%	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
343	SPD	1	Numerator for Statin Therapy for Patients With Diabetes (SPD): Statin Adherence 80%	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
344	AHU	1	Acute Hospital Utilization (AHU): Non-Outliers	Enter: '1' if this member is a non-outlier '0' if this member is not a non-outlier
345	AHU	1	Acute Hospital Utilization (AHU): Outliers	Enter: '1' if this member is an outlier '0' if this member is not an outlier
346-348	AHU	3	Acute Hospital Utilization (AHU): Observed Discharges, Surgery	Enter: The total number of discharges for this member '0' if the member does not have any discharges
349-351	AHU	3	Acute Hospital Utilization (AHU): Observed Discharges, Medicine	Enter: The total number of discharges for this member '0' if the member does not have any discharges
352-354	AHU	3	Acute Hospital Utilization (AHU): Observed Discharges, Total Inpatient	Enter: The total number of discharges for this member '0' if the member does not have any discharges
355-366	AHU	12	Acute Hospital Utilization (AHU): PPD Comorbidity Weight, Surgery	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
367-378	AHU	12	Acute Hospital Utilization (AHU): PPD Comorbidity Weight, Medicine	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
379-390	AHU	12	Acute Hospital Utilization (AHU): PPD Comorbidity Weight, Total	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
391-402	AHU	12	Acute Hospital Utilization (AHU): PPD Age/Gender Weight, Surgery	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
403-414	AHU	12	Acute Hospital Utilization (AHU): PPD Age/Gender Weight, Medicine	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
415-426	AHU	12	Acute Hospital Utilization (AHU): PPD Age/Gender Weight, Total	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
427-438	AHU	12	Acute Hospital Utilization (AHU): PUCD Comorbidity Weight, Surgery	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
439-450	AHU	12	Acute Hospital Utilization (AHU): PUCD Comorbidity Weight, Medicine	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
451-462	AHU	12	Acute Hospital Utilization (AHU): PUCD Comorbidity Weight, Total	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
463-474	AHU	12	Acute Hospital Utilization (AHU): PUCD Age/Gender Weight, Surgery	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
475-486	AHU	12	Acute Hospital Utilization (AHU): PUCD Age/Gender Weight, Medicine	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
487-498	AHU	12	Acute Hospital Utilization (AHU): PUCD Age/Gender Weight, Total	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
499	EDU	1	Emergency Department Utilization (EDU): Non-Outliers	Enter: '1' if this member is a non-outlier '0' if this member is not a non-outlier
500	EDU	1	Emergency Department Utilization (EDU): Outliers	Enter: '1' if this member is an outlier '0' if this member is not an outlier
501-503	EDU	3	Emergency Department Utilization (EDU): Observed ED Visits	Enter: The total number of visits for this member '0' if the member does not have any visits
504-515	EDU	12	Emergency Department Utilization (EDU): PPV Comorbidity Weight	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
516-527	EDU	12	Emergency Department Utilization (EDU): PPV Age/Gender Weight	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
528-539	EDU	12	Emergency Department Utilization (EDU): PUCV Comorbidity Weight	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
540-551	EDU	12	Emergency Department Utilization (EDU): PUCV Age/Gender Weight	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
552	HPC	1	Hospitalization for Potentially Preventable Complications (HPC): Chronic ACSC Non-Outlier	Enter: '1' if this member is a non-outlier '0' if this member is not a non-outlier
553	HPC	1	Hospitalization for Potentially Preventable Complications (HPC): Chronic ACSC Outlier	Enter: '1' if this member is an outlier '0' if this member is not an outlier
554	HPC	1	Hospitalization for Potentially Preventable Complications (HPC): Acute ACSC Non-Outlier	Enter: '1' if this member is a non-outlier '0' if this member is not a non-outlier
555	HPC	1	Hospitalization for Potentially Preventable Complications (HPC): Acute ACSC Outlier	Enter: '1' if this member is an outlier '0' if this member is not an outlier
556	HPC	1	Hospitalization for Potentially Preventable Complications (HPC): Total ACSC Non-Outlier	Enter: '1' if this member is a non-outlier '0' if this member is not a non-outlier
557	HPC	1	Hospitalization for Potentially Preventable Complications (HPC): Total ACSC Outlier	Enter: '1' if this member is an outlier '0' if this member is not an outlier
558-559	HPC	2	Hospitalization for Potentially Preventable Complications (HPC): Observed Chronic ACSC Discharges	Enter: The total number of discharges for this member '0' if the member does not have any discharges
560-561	HPC	2	Hospitalization for Potentially Preventable Complications (HPC): Observed Acute ACSC Discharges	Enter: The total number of discharges for this member '0' if the member does not have any discharges
562-563	HPC	2	Hospitalization for Potentially Preventable Complications (HPC): Observed Total ACSC Discharges	Enter: The total number of discharges for this member '0' if the member does not have any discharges
564-575	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PPD Comorbidity Weight, Chronic ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
576-587	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PPD Comorbidity Weight, Acute ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
588-599	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PPD Comorbidity Weight, Total ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
600-611	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PPD Age/Gender Weight, Chronic ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
612-623	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PPD Age/Gender Weight, Acute ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
624-635	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PPD Age/Gender Weight, Total ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
636-647	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PUCD Comorbidity Weight, Chronic ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
648-659	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PUCD Comorbidity Weight, Acute ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
660-671	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PUCD Comorbidity Weight, Total ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
672-683	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PUCD Age/Gender Weight, Chronic ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
684-695	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PUCD Age/Gender Weight, Acute ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
696-707	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PUCD Age/Gender Weight, Total ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
708-709	FUM	2	Denominator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 6-17 years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
710-711	FUM	2	Numerator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 6-17 years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
712-713	FUM	2	Numerator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 6-17 years, 7-day Follow-Up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
714-715	FUM	2	Denominator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 18-64 years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
716-717	FUM	2	Numerator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 18-64 years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
718-719	FUM	2	Numerator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 18-64 years, 7-day Follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
720-721	FUM	2	Denominator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 65+ years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
722-723	FUM	2	Numerator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 65+ years, 30-day Follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
724-725	FUM	2	Numerator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 65+ years, 7-day Follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
726-727	FUA	2	Denominator for Follow-Up After Emergency Department Visit for Alcohol and Other Drug Abuse or Dependence (FUA): 13-17 years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
728-729	FUA	2	Numerator for Follow-Up After Emergency Department Visit for Alcohol and Other Drug Abuse or Dependence (FUA): 13-17 years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
730-731	FUA	2	Numerator for Follow-Up After Emergency Department Visit for Alcohol and Other Drug Abuse or Dependence (FUA): 13-17 years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
732-733	FUA	2	Denominator for Follow-Up After Emergency Department Visit for Alcohol and Other Drug Abuse or Dependence (FUA): 18+ years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
734-735	FUA	2	Numerator for Follow-Up After Emergency Department Visit for Alcohol and Other Drug Abuse or Dependence (FUA): 18+ years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
736-737	FUA	2	Numerator for Follow-Up After Emergency Department Visit for Alcohol and Other Drug Abuse or Dependence (FUA): 18+ years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
738	HDO	1	Denominator for Use of Opioids at High Dosage (HDO)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
739	HDO	1	Numerator for Use of Opioids at High Dosage (HDO)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
740	UOP	1	Denominator for Use of Opioids from Multiple Providers (UOP)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
741	UOP	1	Numerator for Use of Opioids from Multiple Providers (UOP): Multiple prescribers	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
742	UOP	1	Numerator for Use of Opioids from Multiple Providers (UOP): Multiple pharmacies	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
743	UOP	1	Numerator for Use of Opioids from Multiple Providers (UOP): Multiple prescribers and pharmacies	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
744-745	TRC	2	Denominator for Transitions of Care (TRC): 18-64 years, Notification of Inpatient Admission	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
746-747	TRC	2	Numerator for Transitions of Care (TRC): 18-64 years, Notification of Inpatient Admission	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
748-749	TRC	2	Denominator for Transitions of Care (TRC): 18-64 years, Receipt of Discharge Information	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
750-751	TRC	2	Numerator for Transitions of Care (TRC): 18-64 years, Receipt of Discharge Information	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
752-753	TRC	2	Denominator for Transitions of Care (TRC): 18-64 years, Patient Engagement after Inpatient Discharge	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
754-755	TRC	2	Numerator for Transitions of Care (TRC): 18-64 years, Patient Engagement after Inpatient Discharge	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
756-757	TRC	2	Denominator for Transitions of Care (TRC): 18-64 years, Medication Reconciliation Post-Discharge	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
758-759	TRC	2	Numerator for Transitions of Care (TRC): 18-64 years, Medication Reconciliation Post-Discharge	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
760-761	TRC	2	Denominator for Transitions of Care (TRC): 65+ years, Notification of Inpatient Admission	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
762-763	TRC	2	Numerator for Transitions of Care (TRC): 65+ years, Notification of Inpatient Admission	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
764-765	TRC	2	Denominator for Transitions of Care (TRC): 65+ years, Receipt of Discharge Information	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
766-767	TRC	2	Numerator for Transitions of Care (TRC): 65+ years, Receipt of Discharge Information	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
768-769	TRC	2	Denominator for Transitions of Care (TRC): 65+ years, Patient Engagement after Inpatient Discharge	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
770-771	TRC	2	Numerator for Transitions of Care (TRC): 65+ years, Patient Engagement after Inpatient Discharge	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
772-773	TRC	2	Denominator for Transitions of Care (TRC): 65+ years, Medication Reconciliation Post-Discharge	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
774-775	TRC	2	Numerator for Transitions of Care (TRC): 65+ years, Medication Reconciliation Post-Discharge	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
776-777	FMC	2	Denominator for Follow-Up After Emergency Department Visit for People With Multiple High-Risk Chronic Conditions (FMC): 18-64 years	Enter: The number of times this member is in the denominator '0' if this member is not in the denominator
778-779	FMC	2	Numerator for Follow-Up After Emergency Department Visit for People With Multiple High-Risk Chronic Conditions (FMC): 18-64 years	Enter: The number of times this member is in the numerator '0' if this member is not in the numerator OR the information is missing
780-781	FMC	2	Denominator for Follow-Up After Emergency Department Visit for People With Multiple High-Risk Chronic Conditions (FMC): 65+ years	Enter: The number of times this member is in the denominator '0' if this member is not in the denominator

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
782-783	FMC	2	Numerator for Follow-Up After Emergency Department Visit for People With Multiple High-Risk Chronic Conditions (FMC): 65+ years	Enter: The number of times this member is in the numerator '0' if this member is not in the numerator OR the information is missing
784	BCS	1	SES Stratification for Breast Cancer Screening (BCS): Eligible Population, Non-LIS/DE, Nondisability	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
785	BCS	1	SES Stratification for Breast Cancer Screening (BCS): Numerator, Non-LIS/DE, Nondisability	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
786	BCS	1	SES Stratification for Breast Cancer Screening (BCS): Eligible Population, LIS/DE	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
787	BCS	1	SES Stratification for Breast Cancer Screening (BCS): Numerator, LIS/DE	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
788	BCS	1	SES Stratification for Breast Cancer Screening (BCS): Eligible Population, Disability	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
789	BCS	1	SES Stratification for Breast Cancer Screening (BCS): Numerator, Disability	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
790	BCS	1	SES Stratification for Breast Cancer Screening (BCS): Eligible Population, LIS/DE and Disability	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
791	BCS	1	SES Stratification for Breast Cancer Screening (BCS): Numerator, LIS/DE and Disability	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
792	BCS	1	SES Stratification for Breast Cancer Screening (BCS): Eligible Population, Other	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
793	BCS	1	SES Stratification for Breast Cancer Screening (BCS): Numerator, Other	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
794	BCS	1	SES Stratification for Breast Cancer Screening (BCS): Eligible Population, Unknown	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
795	BCS	1	SES Stratification for Breast Cancer Screening (BCS): Numerator, Unknown	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
796	COL	1	SES Stratification for Colorectal Cancer Screening (COL): Eligible Population, Non-LIS/DE, Nondisability	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
797	COL	1	SES Stratification for Colorectal Cancer Screening (COL): Numerator, Non-LIS/DE, Nondisability	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
798	COL	1	SES Stratification for Colorectal Cancer Screening (COL): Eligible Population, LIS/DE	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
799	COL	1	SES Stratification for Colorectal Cancer Screening (COL): Numerator, LIS/DE	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
800	COL	1	SES Stratification for Colorectal Cancer Screening (COL): Eligible Population, Disability	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
801	COL	1	SES Stratification for Colorectal Cancer Screening (COL): Numerator, Disability	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
802	COL	1	SES Stratification for Colorectal Cancer Screening (COL): Eligible Population, LIS/DE and Disability	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
803	COL	1	SES Stratification for Colorectal Cancer Screening (COL): Numerator, LIS/DE and Disability	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
804	COL	1	SES Stratification for Colorectal Cancer Screening (COL): Eligible Population, Other	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
805	COL	1	SES Stratification for Colorectal Cancer Screening (COL): Numerator, Other	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
806	COL	1	SES Stratification for Colorectal Cancer Screening (COL): Eligible Population, Unknown	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
807	COL	1	SES Stratification for Colorectal Cancer Screening (COL): Numerator, Unknown	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
808	CDC	1	SES Stratification for Comprehensive Diabetes Care (CDC) Eye exam (retinal) performed: Eligible Population, Non-LIS/DE, Nondisability	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
809	CDC	1	SES Stratification for Comprehensive Diabetes Care (CDC) Eye exam (retinal) performed: Numerator, Non-LIS/DE, Nondisability	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
810	CDC	1	SES Stratification for Comprehensive Diabetes Care (CDC) Eye exam (retinal) performed: Eligible Population, LIS/DE	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
811	CDC	1	SES Stratification for Comprehensive Diabetes Care (CDC) Eye exam (retinal) performed: Numerator, LIS/DE	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
812	CDC	1	SES Stratification for Comprehensive Diabetes Care (CDC) Eye exam (retinal) performed: Eligible Population, Disability	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
813	CDC	1	SES Stratification for Comprehensive Diabetes Care (CDC) Eye exam (retinal) performed: Numerator, Disability	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
814	CDC	1	SES Stratification for Comprehensive Diabetes Care (CDC) Eye exam (retinal) performed: Eligible Population, LIS/DE and Disability	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
815	CDC	1	SES Stratification for Comprehensive Diabetes Care (CDC) Eye exam (retinal) performed: Numerator, LIS/DE and Disability	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
816	CDC	1	SES Stratification for Comprehensive Diabetes Care (CDC) Eye exam (retinal) performed: Eligible Population, Other	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
817	CDC	1	SES Stratification for Comprehensive Diabetes Care (CDC) Eye exam (retinal) performed: Numerator, Other	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
818	CDC	1	SES Stratification for Comprehensive Diabetes Care (CDC) Eye exam (retinal) performed: Eligible Population, Unknown	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
819	CDC	1	SES Stratification for Comprehensive Diabetes Care (CDC) Eye exam (retinal) performed: Numerator, Unknown	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
820	SAA	1	Denominator for Adherence to Antipsychotic Medications for Individuals With Schizophrenia (SAA)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
821	SAA	1	Numerator for Adherence to Antipsychotic Medications for Individuals With Schizophrenia (SAA)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
822	KED	1	Denominator for Kidney Health Evaluation for Patients with Diabetes (KED): 18-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
823	KED	1	Numerator for Kidney Health Evaluation for Patients with Diabetes (KED): 18-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
824	KED	1	Denominator for Kidney Health Evaluation for Patients with Diabetes (KED): 65-74 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
825	KED	1	Numerator for Kidney Health Evaluation for Patients with Diabetes (KED): 65-74 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
826	KED	1	Denominator for Kidney Health Evaluation for Patients with Diabetes (KED): 75-85 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
827	KED	1	Numerator for Kidney Health Evaluation for Patients with Diabetes (KED): 75-85 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing