

§170.315(g)(1) Automated numerator recording

2015 Edition Test Procedure

Version 2.3 Updated on 12-31-2019

Revision History

Version #	Description of Change	Version Date
1.0	Final Test Procedure	10-18-2016
1.1	<p>Modified test procedure instructions to indicate self-testing and submission of reports.</p> <p>Added gap criteria option for CPOE measures.</p> <p>Reordered required tests to mirror the CMS measure numbers.</p>	12-30-2016
1.2	<p>Removed (g)(7) from the first table. Modified the first table to link Required Test 9 to the (b)(2) criterion.</p> <p>Clarified in the global test requirements that health IT developers are not required to use more than one measure for testing.</p> <p>Added Inpatient CPOE measure statements.</p>	01-27-2017
1.3	<p>Modified language on which systems need to test for each calculation method.</p> <p>Modified language to clarify that health IT developers are not required to test 2a,</p>	03-06-2017

	2b, and 2c and 4a, 4b, and 4c.	
1.4	<p>Removed incorrect references to a denominator.</p> <p>Added an attestation requirement around documentation provided to end users.</p>	04-24-2017
1.5	<p>Modified language on the options systems have for testing the different calculation methods.</p> <p>Added an attestation requirement around documentation provided to end users around systems ability to calculate the different methods.</p>	08-25-2017
1.6	<p>Removed 2nd bullet under the ACI Measure English Statement of the Required Test 6 - Patient Generated Health Data section.</p> <p>Removed the wording "of of" before 'the following' within the first sentence of the Required Attestation section.</p> <p>Clarified the View, Download, Transmit Measure for ACI to describe the action as being taken by the patient or patient authorized representative rather than the Eligible Clinician per the QPP CY 2018 final rule (82 FR 53568).</p>	02-01-2018
1.7	Made the following changes	08-17-2018

based on CMS policy changes per the [CY2019 IPPS Final Rule](#): Added Required Tests 13, 14, and 15. Updated the measure thresholds for the Stage 3 measure for Required Test 1, 2a, 2b, 2c, and 7 and the name of Required Tests 2a, 2b, 2c, and 7. Modified the name of the EHR Incentive Program to the Promoting Interoperability Program.

Added clarification that both the EC Individual and EC Group methods must be tested by a Health IT Module supporting the ACI Transition and/or ACI calculation method.

Modified the timely access requirement for the ACI Patient Access measure based on a CMS policy change per the QPP CY 2018 final rule ([82 FR 53568](#)).

1.8	<p>Added text noting that the Promoting Interoperability measure for Required Tests 3, 4, 5, 6, 8, and 9 are only applicable in 2018. Added text noting the Promoting Interoperability measure for Required Tests 13, 14, and 15 are only applicable starting in 2019.</p> <p>Modified the name of the ACI Transition and ACI to Promoting Interoperability Transition and Promoting Interoperability.</p>	02-28-2019
1.9	Updated Required Test 15 to remove the draft status for EH/CAH.	04-26-2019

2.0	Removed the reference to TIN/NPI in the Required Tests organization section as it is not applicable to g1.	06-28-2019
2.1	Per the CY2020 IPPS final rule , updated Required Test 13 to remove the EH/CAH measures and the Required Test 14 measure to note it is only applicable in 2019. Per the CY2019 PFS final rule , added the EC measures for Required Test 13, 14, and 15.	09-29-2019
2.2	Per the CY2020 PFS final rule , removed Required Test 13 for ECs and updated Required Test 14 to note it is only applicable in 2019 for ECs.	11-04-2019
2.3	Updated Required Test 15 to remove the test lab verification requirement to verify the content of the care summary record.	12-31-2019

Regulation Text

Regulation Text

§170.315 (g)(1) *Automated numerator recording*—

For each EHR Incentive Programs percentage-based measure, technology must be able to create a report or file that enables a user to review the patients or actions that would make the patient or action eligible to be included in the measure's numerator. The information in the report or file created must be of sufficient detail such that it enables a user to match those patients or actions to meet the measure's denominator limitations when necessary to generate an accurate percentage.



Standard(s) Referenced

None

Please consult the Final Rule entitled: 2015 Edition Health Information Technology (Health IT) Certification Criteria, 2015 Edition Base Electronic Health Record (EHR) Definition, and ONC Health IT Certification Program Modifications for a detailed description of the certification criterion with which these testing steps are associated. We also encourage developers to consult the Certification Companion Guide in tandem with the test procedure as they provide clarifications that may be useful for product development and testing.

Note: The order in which the test steps are listed reflects the sequence of the certification criterion and does not necessarily prescribe the order in which the test should take place.

Testing components

Gap				ONC Supplied Test Data
-----	---	---	---	---------------------------------

Gap Eligibility

Three measures are eligible for gap certification: 1) Required Test 10 – CPOE Medications, Modified Stage 2 Objective 3 Measure 1 and Stage 3 Objective 4 Measure 1; 2) Required Test 11 – CPOE Laboratory, Modified Stage 2 Objective 3 Measure 2 and Stage 3 Objective 4 Measure 2; and 3) Required Test 11 – CPOE Radiology/Diagnostic Imaging, Modified Stage 2 Objective 3 Measure 3 and Stage 3 Objective 4 Measure 3.

Required Tests

The table that provides a description of the Modified Stage 2 2015 - 2017 and Stage 3 Medicare and Medicaid Promoting Interoperability (formerly Electronic Health Record (EHR) Incentive) Program and the Promoting Interoperability Transition and Promoting Interoperability objectives supported by the measure calculation (§ 170.315(g)(2)) certification criteria is located in the Master Table of Related and Required Criteria. That document can be found under the 2015 Edition Test Method Resources section on the left hand side of the screen for any criterion under the Topics Navigation menu.

Organization

The tests are organized as follows:

- The Global Required Test section addresses required capabilities across any or all modules that can be demonstrated once for each module, combination of modules, or complete set of modules of the Health IT Module being tested.
- Required Tests 1 through 15 are measure-specific sections that address required capabilities for each measure.

Health IT Modules that are ambulatory systems only must use the ambulatory test data and test at least one of the four calculation methods: 1) Medicaid Promoting Interoperability Program Modified Stage 2; 2) Promoting Interoperability Transition; 3) Medicaid Promoting Interoperability Program Stage 3; or 4) Promoting Interoperability. Health IT Modules that are inpatient systems only must use the eligible hospital test data and, if the inpatient system is used in the ambulatory setting, the ambulatory test and test at least one of four calculation methods: 1) Modified Stage 2; 2) Promoting Interoperability Transition; 3) Medicaid Promoting Interoperability Program Stage 3; or 4) Promoting Interoperability. Health IT Modules that are both ambulatory and inpatient systems must use the eligible hospital test data and the ambulatory test and test at least one of four calculation methods: 1) Modified Stage 2; 2) Promoting Interoperability Transition; 3) Stage 3; or 4) Promoting Interoperability. Health IT Modules that test to the Promoting Interoperability measures are deemed as meeting testing requirements for the relevant Stage 3 measures. Health IT Modules that test to the Promoting Interoperability Transition measures are deemed as meeting the testing requirements relevant Modified Stage 2 measures.

For the Global Required Test

Within the global section, the test procedure addresses the capability of the Health IT Module to create reports for measures for a specified reporting period. For Inpatient settings, this test procedure addresses the capability for the Health IT Module to allow eligible hospitals and critical access hospitals to calculate emergency department (ED) admissions using one of two methods (observation services method vs. all ED visits method). Note that this calculation method is only applicable to the Modified Stage 2 Patient Education measure. The test procedure also addresses the capability for the Health IT Module to exclude patients or activities that occur outside of the reporting/performance period or calendar year (as applicable).

- **Record** – evaluates the capability to electronically record the numerator for each objective with a percentage-based measure.
 - The health IT developer identifies a measure that will be used for the Global Required Test. For testing the Inpatient calculation methods, the health IT developer must test the Modified Stage 2 Patient Education measure. If the health IT developer does not intend to be certified for the Modified Stage 2 Patient Education measure, they do not need to demonstrate that they can calculate the Inpatient calculation methods. Additionally, the health IT developer may identify a different measure for testing the reporting period and timing of activities if they do not wish to test all of the Global Required Tests against the Modified Stage 2 Patient Education measure.
 - The health IT developer records all numerator measure elements using the set of test patients located in the Required Global Test tab in the corresponding test data, using the method(s) by which the Health IT Module records the numerator for the chosen measure.

Within each of the reports in the Global Required Test, the test procedure addresses the capabilities to report the chosen measure. A single set of test patients has been created for use in the Global Required Test. Health IT developers are required to use the test patients as they are listed in the Required Global Test tab in the corresponding test data and may not modify patient names.

- **Report** – evaluates the capability to create a report that includes the numerator for § 170.315(g)(1) associated with the chosen percentage-based measure.
 - The user enters all of the test patients from the Required Global Test tab in the Test Data, as described above in Record.
 - The health IT developer creates a report that includes the numerator for the chosen measure based on the supplied test data from the Required Global Test tab.
 - The health IT developer provides the report to the tester. The report must include the numerator, as well as a list of the patients who are included in the numerator of the chosen measure.
 - The tester reviews the report and verifies that the numerator produced is accurate and complete and represents the expected values, based on the supplied test data, and reflecting the Information Types found in System Under Test of the Global Required Test. The tester uses the English Statements described in the Test Guide for the Global Required Test.

For Measure Specific Sections

Within each of the measure-specific sections, the test procedure addresses the capability to record the numerator for § 170.315(g)(1) for each measure for Modified Stage 2 2015 – 2017 and Stage 3 of Promoting Interoperability and the Promoting Interoperability Transition measures and the Promoting Interoperability measures:

- **Record** – evaluates the capability to electronically record the numerator for each objective with a percentage-based measure.
 - The health IT developer records all numerator measure elements for the method(s) by which the Health IT Module records the numerator for each measure.

Within each of the measure-specific sections, the test procedure addresses the capabilities to report each measure for Modified Stage 2 2015 – 2017 and Stage 3 of Promoting Interoperability and the Promoting Interoperability Transition measures and the Promoting Interoperability measures. A single set of test patients has been created that occur across all required tests. The health IT developer is required to use all test patients in each scenario. The health IT developer must use the test patients that are in the test data and may not change their names, birthdays, or gender.

- **Report** – evaluates the capability to create a report that includes the numerator associated with each percentage-based measure.
 - The health IT developer enters the test patients for Scenario 1 and the corresponding test data for each required test for which they are presenting for testing.
 - Using the functions of the Health IT Module, the health IT developer creates a report that includes the numerator for each measure based on the supplied test data from Test Data Scenario 1 (baseline measure report) across all required tests. The report must also include the list of patients included in the numerator.
 - The health IT developer marks the report as Scenario 1.
 - The health IT developer enters all of the test patients in Scenario 2 and the corresponding test data for each required test.
 - Using the functions of the Health IT Module, the health IT developer creates a report that includes the numerator for each measure based on the supplied test data from Test Data Scenario 2 (populate numerator) across all required tests. The report must also include the list of patients included in the numerator.
 - The health IT developer marks the report as Scenario 2.
 - The health IT developer enters all of the test patients in Scenario 3 and the corresponding test data for each required test.
 - Using the functions of the Health IT Module, the health IT developer creates a report that includes the numerator for each measure based on the supplied test data from Test Data Scenario 3 (populate numerator) across all required tests. The report must also include the list of patients included in the numerator.
 - The health IT developer marks the report as Scenario 3.
 - The health IT developer enters all of the test patients in Scenario 4 and the corresponding test data for each required test.
 - Using the functions of the Health IT Module, the health IT developer creates a report that includes the numerator for each measure based on the supplied test data from Test Data Scenario 4 (do not populate numerator) across all required tests. The report must also include the list of patients included in the numerator.
 - The health IT developer marks the report as Scenario 4.
 - The health IT developer submits all four reports to the tester for review.
 - The tester verifies that the increments in the numerator produced in the delta report are accurate and complete and represent the expected increments in comparison to the baseline measure report, based on the ONC supplied test data. The tester uses the English Statements described in the Test Guide for each measure. The tester verifies that the correct patients are included in the numerator for each measure.

The test data for § 170.315(g)(1) are previously supplied. ONC supplies Test Cases to be used during the test, and the health IT developer supplies information as directed in the test data. The measure specific test data is organized into a single set of 8 test cases or less, depending on the measure, which are used

across all required tests. As such, each test case appears in the same scenario in each required test, though the numerator may not increment the same across each required test. All test cases must be used.

Each measure-specific Test Description provides a Measure Element list and English Statements for each measure. The English Statements derive from the CMS Modified Stage 2 2015 – 2017 and Stage 3 final rule definitions of a measure’s numerators and the Quality Performance Program final rule definitions of an Promoting Interoperability measure’s numerators. The Measure Element list deconstructs the English Statements to provide the discrete measure elements for recording the numerator.

System Under Test

Required Attestation

Health IT Modules certified to (g)(1) are required to attest that they have provided to other health IT developers and end-users documentation, as applicable, the following:

- Identify and acknowledge specific situations where the Health IT Module certified to (g)(1) does not have access to information that allows the module to determine if a numerator should be incremented or decremented for a measure.
- Identify and acknowledge that the Health IT Module does not record TIN/NPIs and that the health IT developer or end-user is responsible for calculating performance at the TIN/NPI or group TIN for Promoting Interoperability and Promoting Interoperability Transition measures.
- For ambulatory only systems or inpatient/ambulatory systems, identify and acknowledge the Health IT Module is not certified or deemed to (g)(1) for all four calculation methods 1) Medicaid Promoting Interoperability Program Modified Stage 2; 2) Promoting Interoperability Transition; 3) Medicaid Promoting Interoperability Program Stage 3; or 4) Promoting Interoperability.

Test Lab Verification

Required Attestation

Tester verifies that the attestation includes all required elements.

Paragraph (g)(1) Required Global Test

System Under Test

1. The health IT developer, using the identified Health IT Module functions and the supplied Test Data Scenario(s), is able to record values and create reports for the following reporting periods (at a minimum):
 - a. Eligible Professional Reports and/or Eligible Hospital/Critical Access Hospital Reports: Any 90 consecutive days within a calendar year, including 90 day periods that span across more than 3 months; calendar year quarters (first, second, third, fourth); and calendar year.
2. The health IT developer chooses one or more measures to test the required global test.
3. The health IT developer enters all six test patients from the Required Global Test section of supplied test data. The health IT developer creates a report that includes the numerator for a chosen measure based on the test data. The report must also include the list of patients included in the numerator. The health IT developer marks the report as Global Required Test.
4. (Inpatient Only) The user creates a report using both methods for inpatient admission:
 - a. Observation Services Method
 - b. All emergency department (ED) Visits Method

The Required Global test designates each test patient by one of the following patient and encounter information types:

Information Types

- A. Direct admission to inpatient department.
- B. Admitted to the ED and then admitted to the inpatient department.
- C. Admitted to the ED and discharged from the ED.
- D. Admitted to the ED and received observation services and then admitted to the inpatient department.
- E. Admitted to the inpatient department upon receiving observation services in the outpatient department of the hospital.

5. The health IT developer submits the report(s) to the tester.

Test Lab Verification

1. The tester verifies that the Health IT Module is able to accurately adjust the reporting period types and that the numerator is accurate and complete for each reporting period and Promoting Interoperability stage.
2. The tester reviews the report marked Global Required Test and verifies that the numerators recorded, as applicable to § 170.315(g)(1), are accurate and complete, based on the measure elements described in the Test. The tester must also verify that the correct test patients are included in the numerator.
3. (Inpatient only) The tester verifies the following:
 - a. That calculation of the Observation Services Method is accurate and includes test patients with types A, B, D and E listed in Step 4 of System Under Test.
 - b. That calculation of the All ED Visits Method is accurate and includes test patients with type A, B, D, C, D, and E listed in Step 4 of System Under Test.

Required Test 1 - ePrescribing

Modified Stage 2 Objective 4 and Stage 3 Objective 2

Promoting Interoperability Transition Objective 2 Measure 1 and Promoting Interoperability Objective 2 Measure 1

System Under Test

The health IT developer records and creates four reports, one for each scenario. Note that the health IT developer may create each report for a single required test or they may create one report for all of the required tests for which they are seeking certification. Any prescriptions written by the EP in an ambulatory setting, or discharge medication orders in an inpatient setting, will populate the numerator once per prescription transmitted electronically and queried for a drug formulary for a patient who was seen/admitted during the reporting/performance period.

Measure Description

Modified Stage 2 Measure:

- a. Eligible Professional (EP): More than 50 percent of all permissible prescriptions written by the EP are queried for a drug formulary and transmitted electronically using Certified Health IT.
- b. Eligible Hospital/Critical Access Hospital (EH/CAH): More than 10 percent of hospital discharge medication orders for permissible prescriptions (for new and changed prescriptions) are queried for a drug formulary and transmitted electronically using Certified Health IT.

Modified Stage 2 Measure English Statements:

- a. Ambulatory:
 - Numerator: The number of prescriptions in the denominator generated, queried for a drug formulary, and transmitted electronically.
- b. Inpatient:
 - Numerator: The number of prescriptions in the denominator generated, queried for a drug formulary, and transmitted electronically.

Modified Stage 2 Measure Elements:

- a. Ambulatory:
 - Numerator: Prescription generated, queried for a formulary, and transmitted electronically.
- b. Inpatient:
 - Numerator: Prescription generated, queried for a formulary, and transmitted electronically.

Stage 3 Measure:

- a. Eligible Professional (EP): More than 60 percent of all permissible prescriptions written by the EP are queried for a drug formulary and transmitted electronically using CEHRT.
- b. Eligible Hospital/Critical Access Hospital (EH/CAH): At least one hospital discharge medication orders for permissible prescriptions (for new and changed prescriptions) is queried for a drug formulary and transmitted electronically using CEHRT.

Stage 3 Measure English Statements:

- a. Ambulatory:

- o Numerator: The number of prescriptions in the denominator generated, queried for a drug formulary, and transmitted electronically using CEHRT.
- b. Inpatient:
 - o Numerator: The number of prescriptions in the denominator generated, queried for a drug formulary, and transmitted electronically.

Stage 3 Measure Elements:

- a. Ambulatory:
 - o Numerator: Prescription generated, queried for a formulary, and transmitted electronically.
- b. Inpatient:
 - o Numerator: Prescription generated, queried for a formulary, and transmitted electronically.

Promoting Interoperability Transition Measure:

- a. Eligible Clinician (EC): At least one permissible prescription written by the MIPS EC is queried for a drug formulary and transmitted electronically using certified EHR technology.

Promoting Interoperability Transition English Statements:

- a. Numerator: The number of prescriptions in the denominator generated, queried for a drug formulary, and transmitted electronically using certified EHR technology.

Promoting Interoperability Transition Measure Elements:

- a. Numerator: Prescription generated, queried for a formulary, and transmitted electronically.

Promoting Interoperability Measure:

- a. EC: At least one permissible prescription written by the MIPS EC is queried for a drug formulary and transmitted electronically using certified EHR technology.

Promoting Interoperability English Statements:

- a. Numerator: The number of prescriptions in the denominator generated, queried for a drug formulary, and transmitted electronically using certified EHR technology.

Promoting Interoperability Measure Elements:

- a. Numerator: Prescription generated, queried for a formulary, and transmitted electronically.

Test Lab Verification

The tester verifies that each report, including the numerator, is created correctly and without omission and includes sufficient detail to match the patients or actions in the numerator report to the measure's denominator limitations. The tester ensures that the correct patients are included in the numerator. The tester will use the information provided in required Test 1 and use ONC Test Data Scenario(s) 1, 2, 3, and 4.

Required Test 2a, b, or c – Provide Patients Electronic Access to Their Health Information(formerly Patient Electronic Access)

Modified Stage 2 Objective 8 Measure 1 and Stage 3 Objective 5 Measure 1

Promoting Interoperability Transition Objective 3 Measure 1 and Promoting Interoperability Objective 3 Measure 1

System Under Test

The health IT developer records and creates four reports, one for each scenario. Note that the health IT developer may create each report for a single required test or they may create one report for all of the required tests for which they are seeking certification. The act of giving a patient timely online access to his or her health information will populate the numerator if:

Modified Stage 2: the information is made available within 4 business days after the information is made available to the EP or within 36 hours of discharge from the EH/CAH, for patients seen by the EP or discharged from the inpatient or emergency department (POS 21 or 23) of the EH/CAH during the reporting period.

Stage 3: the information is made available to the patient within 48 hours of its availability to the provider for an EP or within 36 hours of its availability to the provider for an eligible hospital or CAH.

Promoting Interoperability Transition: the information is made available within 4 business days after the information is made available to the EC for patients seen by the EC during the performance period.

Promoting Interoperability: the information is made available to the patient within 4 business days of its availability to the EC.

Test Data

- Health IT Modules that are certified to § 170.315 (e)(1) and (g)(8) or (g)(9) must use test data in tab RT 2a Provider Patient Exchange (EH/CAH and EP/EC).
- Health IT Modules that are certified to § 170.315 (e)(1) only must use test data in tab RT 2b Provider Patient Exchange (EH/CAH and EP/EC).
- Health IT Modules that are certified to § 170.315 (g)(8) or (g)(9) must use test data in tab RT 2c Provider Patient Exchange (EH/CAH and EP/EC) and will only be tested for the Stage 3 and Promoting Interoperability measures.

Measure Description

Modified Stage 2 Measure:

- Eligible Professional (EP): More than 50 percent of all unique patients seen by the EP during the EHR reporting period are provided timely access to view online, download, and transmit to a third party their health information subject to the EP's discretion to withhold certain information.
- Eligible Hospital/Critical Access Hospital (EH/CAH): More than 50 percent of all unique patients who are discharged from the inpatient or emergency department (POS 21 or 23) of an eligible hospital or

CAH are provided timely access to view online, download, and transmit to a third party their health information.

Modified Stage 2 Measure English Statements:

- a. Ambulatory:
 - Numerator: The number of patients in the denominator who have access to view online, download, and transmit their health information within 4 business days after the information is available to the EP.
- b. Inpatient:
 - Numerator: The number of patients in the denominator who have access to view, download, and transmit their health information within 36 hours after the information is available to the eligible hospital or CAH.

Modified Stage 2 Measure Elements:

- a. Ambulatory:
 - Numerator:
 - Date and time information available to the EP;
 - Date and time information made available online to patient.
- b. Inpatient:
 - Numerator:
 - Date and time information made available online to patient;
 - Date and time of discharge.

Stage 3 Measure:

- a. Eligible Professional (EP): For more than 80 percent of all unique patients seen by the EP: (1) The patient (or the patient-authorized representative) is provided timely access to view online, download, and transmit his or her health information; and (2) The provider ensures the patient's health information is available for the patient (or patient-authorized representative) to access using any application of their choice that is configured to meet the technical specifications of the API in the provider's CEHRT.
- b. Eligible Hospital/Critical Access Hospital (EH/CAH): For at least one unique patients discharged from the eligible hospital or CAH inpatient or emergency department (POS 21 or 23): (1) The patient (or the patient-authorized representative) is provided timely access to view online, download, and transmit his or her health information; and (2) The provider ensures the patient's health information is available for the patient (or patient-authorized representative) to access using any application of their choice that is configured to meet the technical specifications of the API in the provider's CEHRT.

Stage 3 English Statements:

- a. Ambulatory:
 - Numerator: The number of patients in the denominator (or patient-authorized representative) who are provided timely access to health information to view online, download, and transmit to a third party and to access using an application of their choice that is configured meet the technical specifications of the API in the provider's CEHRT.
- b. Inpatient:
 - Numerator: The number of patients in the denominator (or patient-authorized representative) who are provided timely access to health information to view online, download, and transmit to a third party and to access using an application of their choice that is configured meet the technical specifications of the API in the provider's CEHRT.

Stage 3 Measure Elements:

- a. Ambulatory:
 - Numerator:
 - Date and time information available to the EP;
 - Date and time information made available online to patient;
 - Date and time information made available to an API.

- b. Inpatient:
 - o Numerator:
 - Date and time information made available online to patient;
 - Date and time of discharge;
 - Date and time information made available to an API.

Promoting Interoperability Transition Measure:

- a. At least one patient seen by the MIPS EC during the performance period is provided timely access to view online, download, and transmit to a third party their health information subject to the MIPS EC's discretion to withhold certain information.

Promoting Interoperability Transition English Statements:

- a. Numerator: The number of patients in the denominator (or patient authorized representative) who are provided timely access to health information to view online, download, and transmit to a third party.

Promoting Interoperability Transition Measure Elements:

- a. Numerator:
 - o Date and time information available to the EC;
 - o Date and time information made available online to patient.

Promoting Interoperability Measure:

- a. EC: For at least one unique patient seen by the MIPS EC (1) the patient (or the patient authorized representative) is provided timely access to view online, download, and transmit his or her health information; and (2) the MIPS EC ensures the patient's health information is available for the patient (or patient-authorized representative) to access using any application of their choice that is configured to meet the technical specifications of the API in the MIPS EC's CEHRT.

Promoting Interoperability English Statements:

- a. Numerator: The number of patients in the denominator (or patient authorized representatives) who are provided timely access to health information to view online, download, and transmit to a third party and to access using an application of their choice that is configured to meet the technical specifications of the API in the MIPS EC's certified EHR technology.

Promoting Interoperability Measure Elements:

- a. Numerator:
 - o Date and time information available to the EC;
 - o Date and time information made available online to patient;
 - o Date and time information made available to an API.

Test Lab Verification

The tester verifies that each report, including the numerator, is created correctly and without omission and includes sufficient detail to match the patients or actions in the numerator report to the measure's denominator limitations. The tester ensures that the correct patients are included in the numerator. The tester will use the information provided in required Test 2a, 2b, or 2c and use ONC Test Data Scenario(s) 1, 2, 3, and 4. The tester verifies that all of the required information below is made available to patients.

Modified Stage 2 Ambulatory Setting Only

- a. Patient name
- b. Provider's name and office contact information
- c. Current and past problem list
- d. Procedures
- e. Laboratory test results
- f. Current medication list and medication history
- g. Current medication allergy list and medication allergy history
- h. Vital signs (height, weight, blood pressure, BMI, growth charts)
- i. Smoking status
- j. Demographic information (preferred language, sex, race, ethnicity, date of birth)
- k. Care plan field(s), including goals and instructions
- l. Any known care team members including the primary care provider (PCP) of record

Modified Stage 2 Inpatient Setting Only

- a. Patient name
- b. Admit and discharge date and location
- c. Reason for hospitalization
- d. Care team including the attending of record as well as other providers of care
- e. Procedures performed during admission
- f. Current and past problem list
- g. Current medication list and medication history
- h. Current medication allergy list and medication allergy history
- i. Vital signs at discharge
- j. Laboratory test results (available at time of discharge)
- k. Summary of care record for transitions of care or referrals to another provider
- l. Care plan field(s), including goals and instructions
- m. Discharge instructions for patient
- n. Demographics maintained by hospital (sex, race, ethnicity, date of birth, preferred language)
- o. Smoking status

Stage 3

- a. Common Clinical Data Set (which should be in their English representation)
- b. Provider's name and office contact information (ambulatory setting only)
- c. Admission and discharge dates and locations; discharge instructions; and reason(s) for hospitalization (inpatient setting only)
- d. Laboratory test report(s)
- e. Diagnostic image report(s)

Required Test 3 – Patient Education

Modified Stage 2 Objective 6 and Stage 3 Objective 5 Measure 2

Promoting Interoperability Transition Objective 4 Measure 1 and Promoting Interoperability Objective 3 Measure 2

System Under Test

The health IT developer records and creates four reports, one for each scenario. Note that the health IT developer may create each report for a single required test or they may create one report for all of the required tests for which they are seeking certification. For all measures, for the Health IT Module to record the numerator, the provider must provide patient-specific resources identified by the Health IT Module no earlier than the first day of the calendar year of the reporting/performance period (for a 90-day reporting period only), during the reporting/performance period (for a 90-day and full calendar year reporting period), or no later than the last day of the calendar year of the reporting period to populate and record the numerator (for a 90-day and full calendar year reporting period).

Measure Description

Modified Stage 2 Measure:

- a. Eligible Professional (EP): Patient-specific education resources identified by Certified Health IT Module (CEHRT) are provided to patients for more than 10 percent of all unique patients with office visits seen by the EP during the reporting period.
- b. Eligible Hospital/Critical Access Hospital (EH/CAH): More than 10 percent of all unique patients admitted to the eligible hospital's or CAH's inpatient or emergency department (POS 21 or 23) are provided patient-specific education resources identified by Certified Health IT Module.

Modified Stage 2 Measure English Statements:

- a. Ambulatory:
 - Numerator: The number of patients in the denominator who were provided patient-specific education resources identified by the EHR technology.
- b. Inpatient:
 - Numerator: Number of patients in the denominator who are subsequently provided patient-specific education resources identified by CEHRT.

Modified Stage 2 Measure Elements:

- a. Ambulatory:
 - Numerator: Provision of patient specific education resource(s) identified by the CEHRT.
- b. Inpatient:
 - Numerator: Provision of patient specific education resource(s) identified by the CEHRT.

Stage 3 Measure:

- a. Eligible Professional (EP): The EP must use clinically relevant information from CEHRT to identify patient-specific educational resources and provide electronic access to those materials to more than 35 percent of unique patients seen by the EP during the EHR reporting period.
- b. Eligible Hospital/Critical Access Hospital (EH/CAH): The eligible hospital or CAH must use clinically relevant information from CEHRT to identify patient-specific educational resources and provide

electronic access to those materials to more than 10 percent of unique patients discharged from the eligible hospital or CAH inpatient or emergency department (POS 21 or 23) during the EHR reporting period.

Stage 3 Measure English Statements:

a. Ambulatory/Inpatient:

- o Numerator: The number of patients in the denominator who were provided electronic access to patient-specific educational resources using clinically relevant information identified from CEHRT during the EHR reporting period.

Stage 3 Measure Elements:

a. Ambulatory/Inpatient:

- o Numerator: Provision of electronic access to patient specific education resource(s) identified by the CEHRT.

Promoting Interoperability Transition Measure:

- a. The MIPS EC must use clinically relevant information from certified EHR technology to identify patient-specific educational resources and provide access to those materials to at least one unique patient seen by the MIPS EC.

Promoting Interoperability Transition English Statements:

- a. Numerator: The number of patients in the denominator who were provided access to patient-specific educational resources using clinically relevant information identified from certified EHR technology during the performance period.

Promoting Interoperability Transition Measure Elements:

- a. Numerator: Provision of patient specific education resource(s) identified by the CEHRT.

Promoting Interoperability Measure (2018 only):

- a. The MIPS EC must use clinically relevant information from certified EHR technology to identify patient-specific educational resources and provide electronic access to those materials to at least one unique patient seen by the MIPS eligible clinician.

Promoting Interoperability English Statements (2018 only):

- a. Numerator: The number of patients in the denominator who were provided electronic access to patient-specific educational resources using clinically relevant information identified from certified EHR technology.

Promoting Interoperability Measure Elements (2018 only):

- a. Numerator: Provision of electronic access to patient-specific education resource(s) identified by the CEHRT.

Test Lab Verification

The tester verifies that each report, including the numerator, is created correctly and without omission and includes sufficient detail to match the patients or actions in the numerator report to the measure's denominator limitations. The tester ensures that the correct patients are included in the numerator. The tester will use the information provided in required Test 3 and use ONC Test Data Scenario(s) 1, 2, 3, and 4.

Required Test 4a, b, or c – View, Download, Transmit**Modified Stage 2 Objective 8 Measure 2 and Stage 3 Objective 6 Measure 1****Promoting Interoperability Transition Objective 3 Measure 2 and Promoting Interoperability Objective 4 Measure 1****System Under Test**

The health IT developer records and creates four reports, one for each scenario. Note that the health IT developer may create each report for a single required test or they may create one report for all of the required tests for which they are seeking certification. For the Health IT Module to record the numerator, the patient must view, download, or transmit their health information no earlier than the first day of the calendar year of the reporting/performance period (for a 90-day reporting period only), during the reporting/performance period (for a 90-day and full calendar year reporting period), or no later than the last day of the calendar year of the reporting period to populate and record the numerator (for a 90-day and full calendar year reporting period).

Test Data

- Health IT Modules that are certified to § 170.315 (e)(1) and (g)(8) or (g)(9) must use test data in tab RT 4a VDT.
- Health IT Modules that are certified to § 170.315 (e)(1) only must use test data in tab RT 4b VDT.
- Health IT Modules that are certified to § 170.315 (g)(8) or (g)(9) must use test data in tab RT 4c VDT, and will only be tested for the Stage 3 and Promoting Interoperability measures.

Measure Description*Modified Stage 2 Measures:*

- a. Eligible Professional (EP): For an EHR reporting period in 2017, more than 5 percent of unique patients seen by the EP during the EHR reporting period (or his or her authorized representatives) view, download, or transmit to a third party their health information during the reporting period.
- b. Eligible Hospital/Critical Access Hospital (EH/CAH): For an EHR reporting period in 2017, at least one unique patient discharged from the inpatient or emergency department (POS 21 or 23) of an eligible hospital or CAH (or patient-authorized representative) view, download, or transmit to a third party their health information during the reporting period.

Modified Stage 2 Measure English Statements:

- a. Ambulatory:
 - Numerator: The number of patients (or patient-authorized representative) in the denominator who view, download, or transmit to a third party their health information.
- b. Inpatient:
 - Numerator: The number of patients (or patient-authorized representative) in the denominator who view, download, or transmit to a third party their health information during the reporting period.

Modified Stage 2 Measure Elements:

- a. Ambulatory:

- o Numerator: Patient/authorized representative views, downloads, or transmits their information.
- b. Inpatient:
 - o Numerator: Patient/authorized representative views downloads, or transmits their information.

Stage 3 Measure:

- a. Eligible Professional (EP): During the EHR reporting period, more than 10 percent of all unique patients (or their authorized representatives) seen by the EP actively engage with the electronic health record made accessible by the provider and either: (1) view, download, or transmit to a third party their health information; or (2) access their health information through the use of an API that can be used by applications chosen by the patient and configured to the API in the provider's CEHRT; or (3) a combination of (1) and (2).
- b. Eligible Hospital/Critical Access Hospital (EH/CAH): During the EHR reporting period, at least one unique patient (or their authorized representatives) discharged from the eligible hospital or CAH inpatient or emergency department (POS 21 or 23) actively engage with the electronic health record made accessible by the provider and either: (1) view, download, or transmit to a third party their health information; or (2) access their health information through the use of an API that can be used by applications chosen by the patient and configured to the API in the provider's CEHRT; or (3) a combination of (1) and (2).

Stage 3 Measure English Statements:

- a. Ambulatory:
 - o Numerator: The number of unique patients (or their authorized representatives) in the denominator who have viewed online, downloaded, or transmitted to a third party the patient's health information during the EHR reporting period and the number of unique patients (or their authorized representatives) in the denominator who have accessed their health information through the use of an API during the EHR reporting period.
- b. Inpatient:
 - o Numerator: The number of unique patients (or their authorized representatives) in the denominator who have viewed online, downloaded, or transmitted to a third party the patient's health information during the EHR reporting period and the number of unique patients (or their authorized representatives) in the denominator who have accessed their health information through the use of an API during the EHR reporting period.

Stage 3 Measure Elements:

- a. Ambulatory:
 - o Numerator:
 - Patient (or authorized representative) views, downloads, or transmits their information;
 - Patient (or authorized representative) accesses their information via API.
- b. Inpatient:
 - o Numerator:
 - Patient (or authorized representative) views, downloads, or transmits their information;
 - Patient (or authorized representative) accesses their information via API.

Promoting Interoperability Transition Measure:

- a. At least one patient seen by the MIPS EC during the performance period (or patient-authorized representative) views, downloads, or transmits their health information to a third party during the performance period.

Promoting Interoperability Transition English Statements:

- a. Numerator: The number of unique patients in the denominator (or their authorized representatives) who have viewed online, downloaded, or transmitted to a third party the patient's health information during the performance period.

Promoting Interoperability Transition Measure Elements:

- a. Numerator: Patient views, downloads, or transmits their information.

Promoting Interoperability Measure (2018 only):

- a. During the performance period, at least one unique patient (or patient-authorized representatives) seen by the MIPS EC actively engages with the EHR made accessible by the MIPS EC by either: (1) viewing, downloading, or transmitting to a third party their health information; or (2) accessing their health information through the use of an API that can be used by applications chosen by the patient and configured to the API in the MIPS eligible clinician's certified EHR technology; or (3) a combination of (1) and (2).

Promoting Interoperability English Statements (2018 only):

- a. Numerator: The number of unique patients (or their authorized representatives) who have viewed online, downloaded, or transmitted to a third party the patient's health information during the performance period and the number of unique patients (or their authorized representatives) who have accessed their health information through the use of an API during the performance period.

Promoting Interoperability Measure Elements (2018 only):

- a. Numerator:
 - o Patient views, transmits, or downloads their information;
 - o Patient accesses their information via an API.

Test Lab Verification

The tester verifies that each report, including the numerator, is created correctly and without omission and includes sufficient detail to match the patients or actions in the numerator report to the measure's denominator limitations. The tester ensures that the correct patients are included in the numerator. The tester will use the information provided in required Test 4a, 4b, or 4c and use ONC Test Data Scenario(s) 1, 2, 3, and 4.

The tester verifies that the Health IT Module functions makes the following information available:

Modified Stage 2 Ambulatory Setting Only.

- a. Patient name
- b. Provider's name and office contact information
- c. Current and past problem list
- d. Procedures
- e. Laboratory test results
- f. Current medication list and medication history
- g. Current medication allergy list and medication allergy history
- h. Vital signs (height, weight, blood pressure, BMI, growth charts)
- i. Smoking status
- j. Demographic information (preferred language, sex, race, ethnicity, date of birth)
- k. Care plan field(s), including goals and instructions
- l. Any known care team members including the primary care provider (PCP) of record

Modified Stage 2 Inpatient Setting Only.

- a. Patient name
- b. Admit and discharge date and location
- c. Reason for hospitalization
- d. Care team including the attending of record as well as other providers of care
- e. Procedures performed during admission
- f. Current and past problem list
- g. Current medication list and medication history
- h. Current medication allergy list and medication allergy history
- i. Vital signs at discharge
- j. Laboratory test results (available at time of discharge)
- k. Summary of care record for transitions of care or referrals to another provider
- l. Care plan field(s), including goals and instructions
- m. Discharge instructions for patient
- n. Demographics maintained by hospital (sex, race, ethnicity, date of birth, preferred language)
- o. Smoking status

Stage 3

- a. Common Clinical Data Set (which should be in their English representation)
- b. Provider's name and office contact information (ambulatory setting only)
- c. Admission and discharge dates and locations; discharge instructions; and reason(s) for hospitalization (inpatient setting only)
- d. Laboratory test report(s)
- e. Diagnostic image report(s)

Required Test 5 – Secure Messaging

Modified Stage 2 Objective 9 and Stage 3 Objective 6 Measure 2

Promoting Interoperability Transition Objective 5 Measure 1 and Promoting Interoperability Objective 4 Measure 2

System Under Test

The health IT developer records and creates four reports, one for each scenario. Note that the health IT developer may create each report for a single required test or they may create one report for all of the required tests for which they are seeking certification. The Health IT Module will populate the numerator when the provider sends a secure message no earlier than the first day of the calendar year of the reporting/performance period (for a 90-day reporting period only), during the reporting/performance period (for a 90-day and full calendar year reporting period), or no later than the last day of the calendar year of the reporting period to populate and record the numerator (for a 90-day and full calendar year reporting period).

Measure Description

Modified Stage 2 Measure:

- a. Eligible Professional (EP): For an EHR reporting period in 2017, for more than 5 percent of unique patients seen by the EP during the EHR reporting period, a secure message was sent using the electronic messaging function of CEHRT to the patient (or the patient-authorized representative), or in response to a secure message sent by the patient (or the patient-authorized representative) during the EHR reporting period. For an EHR reporting period in 2016, the threshold for this measure is at least one message sent.
- b. Eligible Hospital/Critical Access Hospital (EH/CAH): None.

Modified Stage 2 Measure English Statements:

- a. Ambulatory:
 - o Numerator: The number of patients in the denominator for whom a secure electronic message is sent to the patient (or patient-authorized representative), or in response to a secure message sent by the patient (or patient-authorized representative).
- b. Inpatient: None.

Modified Stage 2 Measure Elements:

- a. Ambulatory:
 - o Numerator:
 - EP Replies to Secure Electronic Message from Patient or Patient Representative;
 - EP Sends Secure Electronic Message to Patient or Patient Representative.

Stage 3 Measure:

- a. Eligible Professional (EP): For more than 25 percent of all unique patients seen by the EP during the EHR reporting period, a secure message was sent using the electronic messaging function of CEHRT to the patient (or the patient-authorized representative), or in response to a secure message sent by the patient or their authorized representative. For an EHR reporting period in 2016, the threshold for this measure is at least one message sent rather than 25 percent. For an EHR reporting period in 2017, the threshold for this measure is 5 percent rather than 25 percent.

- b. Eligible Hospital/Critical Access Hospital (EH/CAH): For more than 5 percent of all unique patients discharged from the eligible hospital or CAH inpatient or emergency department (POS 21 or 23) during the EHR reporting period, a secure message was sent using the electronic messaging function of CEHRT to the patient (or the patient-authorized representative), or in response to a secure message sent by the patient or their authorized representative. For an EHR reporting period in 2016, the threshold for this measure is at least one message sent rather than 25 percent.

Stage 3 Measure English Statements:

- a. Numerator: The number of patients in the denominator for whom a secure electronic message is sent to the patient (or patient-authorized representative) or in response to a secure message sent by the patient (or patient-authorized representative), during the EHR reporting period.

Stage 3 Measure Elements:

- a. Numerator:
- o EP/EH Replies to Secure Electronic Message from Patient or Patient Representative;
 - o EP/EH Sends Secure Electronic Message to Patient or Patient Representative;
 - o EP/EH Sends Secure Message to Provider Including Patient or Patient Representative.

Promoting Interoperability Transition Measure:

- a. For at least one patient seen by the MIPS EC during the performance period, a secure message was sent using the electronic messaging function of certified EHR technology to the patient (or the patient-authorized representative), or in response to a secure message sent by the patient (or patient-authorized representative) during the performance period.

Promoting Interoperability Transition Measure English Statements:

- a. Numerator: The number of patients in the denominator for whom a secure electronic message is sent to the patient (or patient-authorized representative) or in response to a secure message sent by the patient (or patient-authorized representative), during the performance period.

Promoting Interoperability Transition Measure Elements:

- a. Numerator:
- o EC Replies to Secure Electronic Message from Patient or Patient Representative;
 - o EC Sends Secure Electronic Message to Patient or Patient Representative.

Promoting Interoperability Measure (2018 only):

- a. For at least one unique patient seen by the MIPS EC during the performance period, a secure message was sent using the electronic messaging function of certified EHR technology to the patient (or the patient-authorized representative), or in response to a secure message sent by the patient (or patient-authorized representative) during the performance period.

Promoting Interoperability Measure English Statements (2018 only):

- a. Numerator: The number of patients in the denominator for whom a secure electronic message is sent to the patient (or patient-authorized representative) or in response to a secure message sent by the patient (or patient-authorized representative), during the performance period.

Promoting Interoperability Measure Elements (2018 only):

- a. Numerator:
- o EC replies to secure electronic message from patient or patient representative;
 - o EC sends secure electronic message to patient or patient representative;
 - o EC sends secure message to provider including patient or patient representative.

Test Lab Verification

The tester verifies that each report, including the numerator, is created correctly and without omission and includes sufficient detail to match the patients or actions in the numerator report to the measure's denominator limitations. The tester ensures that the correct patients are included in the numerator. The tester will use the information provided in required Test 5 and use ONC Test Data Scenario(s) 1, 2, 3, and 4.

Required Test 6 – Patient Generated Health Data

Stage 3 Objective 6 Measure 3

Promoting Interoperability Objective 4 Measure 3

System Under Test

The health IT developer records and creates four reports, one for each scenario. Note that the health IT developer may create each report for a single required test or they may create one report for all of the required tests for which they are seeking certification. The Health IT Module will populate the numerator when patient generated data, or data from a non-clinical setting are incorporated during the reporting/performance period.

Measure Description

Stage 3 Measure:

- a. Eligible Professional/Eligible Hospital/Critical Access Hospital (EP/EH/CAH): Patient generated health data or data from a nonclinical setting is incorporated into the CEHRT for more than 5 percent of all unique patients seen by the EP or discharged from the eligible hospital or CAH inpatient or emergency department (POS 21 or 23) during the EHR reporting period.

Stage 3 Measure English Statements:

- a. Ambulatory/Inpatient:
 - o Numerator: The number of patients in the denominator for whom data from non-clinical settings, which may include patient-generated health data, is captured through the CEHRT into the patient record during the EHR reporting period.

Stage 3 Measure Elements:

- a. Ambulatory/Inpatient:
 - o Numerator:
 - Patients with non-clinical data incorporated into the record;
 - Patients with patient-generated health data incorporated into the record.

Promoting Interoperability Measure (2018 only):

- a. Patient-generated health data or data from a non-clinical setting is incorporated into the certified EHR technology for at least one unique patient seen by the MIPS EC during the performance period.

Promoting Interoperability Measure English Statements (2018 only):

- a. Numerator: The number of patients in the denominator for whom data from non-clinical settings, which may include patient-generated health data, is captured through the certified EHR technology into the patient record during the performance period.

Promoting Interoperability Measure Elements (2018 only):

- a. Numerator:
 - o Patients with non-clinical data incorporated into the record;
 - o Patients with patient-generated health data incorporated into the record.

Test Lab Verification

The tester verifies that each report, including the numerator, are created correctly and without omission and include sufficient detail to match the patients or actions in the numerator report to the measure's denominator limitations. The tester ensures that the correct patients are included in the numerator. The tester will use the information provided in required Test 6 and use ONC Test Data Scenario(s) 1, 2, 3, and 4.

Required Test 7 – Support Electronic Referral Loops by Sending Health Information (formerly Transitions of Care)

Modified Stage 2 Objective 5 and Stage 3 Objective 7 Measure 1

Promoting Interoperability Transition Objective 6 Measure 1 and Promoting Interoperability Objective 5 Measure 1

System Under Test

The health IT developer records and creates four reports, one for each scenario. Note that the health IT developer may create each report for a single required test or they may create one report for all of the required tests for which they are seeking certification. The Health IT Module will populate the numerator when a provider creates and transmits/exchanges a summary of care record, and confirms receipt of the transmitted/exchanged summary of care record, no earlier than the first day of the calendar year of the reporting/performance period (for a 90-day reporting/performance period only), during the reporting/performance period (for a 90-day and full calendar year reporting/performance period), or no later than the end of the calendar year (for a 90-day reporting/performance period only).

Measure Description

Modified Stage 2 Measure:

- a. Eligible Professional/Eligible Hospital/Critical Access Hospital (EP/EH/CAH): The EP, eligible hospital, or CAH that transitions or refers their patient to another setting of care or provider of care must-- (1) use CEHRT to create a summary of care record; and (2) electronically transmit such summary to a receiving provider for more than 10 percent of transitions of care and referrals.

Modified Stage 2 Measure English Statements:

- a. Ambulatory/Inpatient:
 - o Numerator: The number of transitions of care and referrals in the denominator where a summary of care record was created using CEHRT and exchanged electronically.

Modified Stage 2 Measure Elements:

- a. Ambulatory/Inpatient:
 - o Numerator:
 - Summary of care record created and exchanged;
 - Summary of care record receipt confirmed.

Stage 3 Measure:

- a. Eligible Professional (EP): For more than 50% of transitions of care and referrals, the EP that transitions or refers their patient to another setting of care or provider of care: (1) creates a summary of care record using CEHRT; and (2) electronically exchanges the summary of care record.
- b. Eligible Hospital/Critical Access Hospital (EH/CAH): For at least one transition of care or referral the eligible hospital or CAH that transitions or refers their patient to another setting of care or provider of care: (1) creates a summary of care record using CEHRT; and (2) electronically exchanges the summary of care record.

Stage 3 Measure English Statements:

- a. Ambulatory/Inpatient:
 - o Numerator: The number of transitions of care and referrals in the denominator where a summary of care record was created using certified EHR technology and exchanged electronically.

Stage 3 Measure Elements:

- a. Ambulatory/Inpatient:
 - o Numerator:
 - Summary of care record created and exchanged;
 - Summary of care record receipt confirmed.

Promoting Interoperability Transition Measure:

- a. The MIPS EC that transitions or refers their patient to another setting of care or health care provider (1) uses certified EHR technology to create a summary of care record; and (2) electronically transmits such summary to a receiving health care provider for at least one transition of care or referral.

Promoting Interoperability Transition Measure English Statements:

- a. Numerator: The number of transitions of care and referrals in the denominator where a summary of care record was created using certified EHR technology and exchanged electronically.

Promoting Interoperability Transition Measure Elements:

- a. Numerator:
 - o Summary of care record created and exchanged;
 - o Summary of care record receipt confirmed.

Promoting Interoperability Measure:

- a. For at least one transition of care or referral, the MIPS EC that transitions or refers their patient to another setting of care or health care provider (1) creates a summary of care record using certified EHR technology; and (2) electronically exchanges the summary of care record.

Promoting Interoperability Measure English Statements:

- a. Numerator: The number of transitions of care and referrals in the denominator where a summary of care record was created using certified EHR technology and exchanged electronically.

Promoting Interoperability Measure Elements:

- a. Numerator:
 - o Summary of care record created and exchanged;
 - o Summary of care record receipt confirmed.

Test Lab Verification

The tester verifies that each report, including the numerator, are created correctly and without omission and include sufficient detail to match the patients or actions in the numerator report to the measure's denominator limitations. The tester ensures that the correct patients are included in the numerator. The tester will use the information provided in required Test 7 and use ONC Test Data Scenario(s) 1, 2, 3, and 4.

The tester shall verify that at a minimum, the following fields (listed below) in the summary of care record contain all of the information (or an indication of none) prior to numerator population. If a summary of care record does not contain all of the information (or an indication of none), the numerator should not be populated for both Ambulatory & Inpatient Settings:

- a. Current problem list;
- b. Current medication list;
- c. Current medication allergy list.

Required Test 8 Receive and Incorporate

Stage 3 Objective 7 Measure 2

Promoting Interoperability Objective 5 Measure 2

System Under Test

The health IT developer records and creates four reports, one for each scenario. Note that the health IT developer may create each report for a single required test or they may create one report for all of the required tests for which they are seeking certification. The Health IT Module will populate the numerator when the provider receives and incorporates a summary of care record no earlier than the first day of the calendar year of the reporting/performance period (for a 90-day reporting/performance period only), during the reporting/performance period (for a 90-day and full calendar year reporting/performance period), or no later than the end of the calendar year (for a 90-day reporting/performance period only).

Measure Description

Stage 3 Measure:

- a. Eligible Professional (EP): For more than 40 percent of transitions or referrals received and patient encounters in which the provider has never before encountered the patient, the EP incorporates into the patient's EHR an electronic summary of care document.
- b. Eligible Hospital/Critical Access Hospital (EH/CAH): For more than 10 percent of transitions or referrals received and patient encounters in which the provider has never before encountered the patient, the eligible hospital or CAH incorporates into the patient's EHR an electronic summary of care document.

Stage 3 Measure English Statements:

- a. Ambulatory/Inpatient:
 - o Numerator: Number of transitions of care or referrals in the denominator where an electronic summary of care record received is incorporated by the provider into the certified EHR technology.

Stage 3 Measure Elements:

- a. Ambulatory/Inpatient:
 - o Numerator: Summary of care record
 - Requested and available;
 - Received through query or request;
 - Incorporated into the record.

Promoting Interoperability Measure (2018 only):

- a. For at least one transition of care or referral received or patient encounter in which the MIPS EC has never before encountered the patient, the MIPS EC receives or retrieves and incorporates into the patient's record and electronic summary of care document.

Promoting Interoperability Measure English Statements (2018 only):

- a. Numerator: Number of transitions of care or referrals in the denominator where an electronic summary of care record received is incorporated by the provider into the certified EHR technology.

Promoting Interoperability Measure Elements (2018 only):

- a. Numerator: Summary of care record
 - o Requested and available;
 - o Received through query or request;
 - o Incorporated into the record.

Test Lab Verification

The tester verifies that each report, including the numerator, are created correctly and without omission and include sufficient detail to match the patients or actions in the numerator report to the measure's denominator limitations. The tester ensures that the correct patients are included in the numerator. The tester will use the information provided in required Test 8 and use ONC Test Data Scenario(s) 1, 2, 3, and 4.

Required Test 9 – Medication/Clinical Information Reconciliation

Modified Stage 2 Objective 7 and Stage 3 Objective 7 Measure 3

Promoting Interoperability Transition Objective 7 Measure 1 and Promoting Interoperability Objective 5 Measure 3

System Under Test

The health IT developer records and creates four reports, one for each scenario. Note that the health IT developer may create each report for a single required test or they may create one report for all of the required tests for which they are seeking certification. Medication reconciliation will populate the numerator if it is performed for a transition of care that is received during the reporting/performance period. The Health IT Module will populate the numerator if the provider performs reconciliation no earlier than the first day of the calendar year of the reporting/performance period (for a 90-day reporting period only), during the reporting/performance period (for a 90-day and full calendar year reporting period), or no later than the end of the calendar year of the reporting/performance period (for a 90-day reporting period only).

Measure Description

Modified Stage 2 Measures:

- a. Eligible Professional (EP): The EP performs medication reconciliation for more than 50 percent of transitions of care in which the patient is transitioned into the care of the EP during the reporting period.
- b. Eligible Hospital/Critical Access Hospital (EH/CAH): The eligible hospital or CAH performs medication reconciliation for more than 50 percent of transitions of care in which the patient is admitted to the eligible hospital's or CAH's Inpatient or emergency department (POS 21 or 23) during the reporting period.

Modified Stage 2 Measure English Statements:

- a. Ambulatory:
 - o Numerator: The number of transitions of care in the denominator where medication reconciliation was performed.
- b. Inpatient:
 - o Numerator: The number of transitions of care in the denominator where medication reconciliation was performed.

Modified Stage 2 Measure Elements:

- a. Ambulatory:
 - o Numerator: Indication that medication reconciliation occurred.
- b. Inpatient:
 - o Numerator: Indication that medication reconciliation occurred.

Stage 3 Measure:

- a. Eligible Professional (EP): For more than 80 percent of transitions or referrals received and patient encounters in which the provider has never before encountered the patient, the EP performs a clinical information reconciliation. The provider must implement clinical information reconciliation

for the following three clinical information sets: (a) Review of the patient's medication, including the name, dosage, frequency, and route of each medication; (b) Review of the patient's known medication allergies; and (c) Review of the patient's current and active diagnoses.

- b. Eligible Hospital/Critical Access Hospital (EH/CAH): For more than 50 percent of transitions or referrals received and patient encounters in which the EH/CAH has never before encountered the patient, the EH/CAH performs a clinical information reconciliation. The provider must implement clinical information reconciliation for the following three clinical information sets: (a) Review of the patient's medication, including the name, dosage, frequency, and route of each medication; (b) Review of the patient's known medication allergies; and (c) Current Problem list. Review of the patient's current and active diagnoses.

Stage 3 Measure English Statements:

- a. Ambulatory:
- Numerator: The number of transitions of care or referrals in the denominator where the following three clinical information reconciliations were performed: Medication list, medication allergy list, and current problem list.
- b. Inpatient:
- Numerator: The number of transitions of care or referrals in the denominator where the following three clinical information reconciliations were performed: Medication list, medication allergy list, and current problem list.

Stage 3 Measure Elements:

- a. Ambulatory:
- Numerator: Indication that medication, medication allergy, and problem list reconciliation occurred.
- b. Inpatient:
- Numerator: Indication that medication, medication allergy, and problem list reconciliation occurred.

Promoting Interoperability Transition Measure:

- a. The MIPS EC performs medication reconciliation for at least one transition of care in which the patient is transitioned into the care of the MIPS EC.

Promoting Interoperability Transition Measure English Statements:

- a. Numerator: The number of transitions of care or referrals in the denominator where medication reconciliation was performed.

Promoting Interoperability Transition Measure Elements:

- a. Numerator: Indication that medication reconciliation occurred.

Promoting Interoperability Measure (2018 only):

- a. For at least one transition of care or referral received or patient encounter in which the MIPS EC has never before encountered the patient, the MIPS EC performs clinical information reconciliation. The clinician must implement clinical information reconciliation for the following three clinical information sets: (1) Medication. Review of the patient's medication, including the name, dosage, frequency, and route of each medication. (2) Medication allergy. Review of the patient's known medication allergies. (3) Current Problem list. Review of the patient's current and active diagnoses.

Promoting Interoperability Measure English Statements (2018 only):

- a. Numerator: The number of transitions of care or referrals in the denominator where the following three clinical information reconciliations were performed: medication list, medication allergy list, and current problem list.

Promoting Interoperability Measure Elements (2018 only):

- a. Numerator: Indication that medication, medication allergy, and problem list reconciliation occurred.

Test Lab Verification

The tester verifies that each report, including the numerator, are created correctly and without omission and include sufficient detail to match the patients or actions in the numerator report to the measure's denominator limitations. The tester ensures that the correct patients are included in the numerator. The tester will use the information provided in required Test 9 and use ONC Test Data Scenario(s) 1, 2, 3, and 4.

Required Test 10 – CPOE Medications

Modified Stage 2 Objective 3 Measure 1 and Stage 3 Objective 4 Measure 1

System Under Test

The health IT developer records and creates four reports, one for each scenario. Note that the health IT developer may create each report for a single required test or they may create one report for all of the required tests for which they are seeking certification. The Health IT Module will populate the numerator when medication orders are ordered using CPOE. The CPOE measure is only applicable to EPs participating in the Medicaid Promoting Interoperability Program and EHs/CAHs participating in the Medicaid Promoting Interoperability Program only. EHs/CAHs who are participate in both the Medicaid and Medicare Promoting Interoperability Programs or just the Medicare Promoting Interoperability Program are exempt from this measure.

Measure Description

Modified Stage 2 Measure:

- a. Eligible Professional/Eligible Hospital/Critical Access Hospital (EP/EH/CAH): More than 60 percent of medication orders created by the EP or by authorized providers of the eligible hospital's or CAH's inpatient or emergency department (POS 21 or 23) during the EHR reporting period are recorded using computerized provider order entry.

Modified Stage 2 Measure English Statements:

- a. Ambulatory/Inpatient:
 - o Numerator: The number of medication orders recorded using CPOE.

Modified Stage 2 Measure Elements:

- a. Ambulatory/Inpatient:
 - o Numerator: Medication order recorded using CPOE.

Stage 3 Measure:

- a. Eligible Professional/Eligible Hospital/Critical Access Hospital (EP/EH/CAH): More than 60 percent of medication orders created by the EP or authorized providers of the eligible hospital or CAH inpatient or emergency department (POS 21 or 23) during the EHR reporting period are recorded using computerized provider order entry.

Stage 3 Measure English Statements:

- a. Ambulatory/Inpatient:
 - o Numerator: The number of medication orders recorded using CPOE.

Stage 3 Measure Elements:

- a. Ambulatory/Inpatient:
 - o Numerator: Medication order recorded using CPOE.

Test Lab Verification

The tester verifies that each report, including the numerator, is created correctly and without omission and includes sufficient detail to match the patients or actions in the numerator report to the measure's denominator limitations. The tester ensures that the correct patients are included in the numerator. The tester will use the information provided in required Test 10 and use ONC Test Data Scenario(s) 1, 2, 3, and 4.

Required Test 11 – CPOE Laboratory

Modified Stage 2 Objective 3 Measure 2 and Stage 3 Objective 4 Measure 2

System Under Test

The health IT developer records and creates four reports, one for each scenario. Note that the health IT developer may create each report for a single required test or they may create one report for all of the required tests for which they are seeking certification. The Health IT Module will populate the numerator when laboratory orders are ordered using CPOE.

The CPOE measure is only applicable to EPs participating in the Medicaid Promoting Interoperability Program and EHs/CAHs participating in the Medicaid Promoting Interoperability Program only. EHs/CAHs who are participate in both the Medicaid and Medicare Promoting Interoperability Programs or just the Medicare Promoting Interoperability Program are exempt from this measure.

Measure Description

Modified Stage 2 Measure:

- a. Eligible Professional/Eligible Hospital/Critical Access Hospital (EP/EH/CAH): More than 30 percent of laboratory orders created by the EP or by authorized providers of the eligible hospital's or CAH's inpatient or emergency department (POS 21 or 23) during the EHR reporting period are recorded using computerized provider order entry.

Modified Stage 2 Measure English Statements:

- a. Ambulatory/Inpatient:
 - o Numerator: The number of laboratory orders recorded using CPOE.

Modified Stage 2 Measure Elements:

- a. Ambulatory/Inpatient:
 - o Numerator: Laboratory order recorded using CPOE.

Stage 3 Measure:

- a. Eligible Professional/Eligible Hospital/Critical Access Hospital (EP/EH/CAH): More than 60 percent of laboratory orders created by the EP or authorized providers of the eligible hospital or CAH inpatient or emergency department (POS 21 or 23) during the EHR reporting period are recorded using computerized provider order entry.

Stage 3 Measure English Statements:

- a. Ambulatory/Inpatient:
 - o Numerator: The number of laboratory orders recorded using CPOE.

Stage 3 Measure Elements:

- a. Ambulatory/Inpatient:
 - o Numerator: Laboratory order recorded using CPOE.

Test Lab Verification

The tester verifies that each report, including the numerator, is created correctly and without omission and includes sufficient detail to match the patients or actions in the numerator report to the measure's denominator limitations. The tester ensures that the correct patients are included in the numerator. The tester will use the information provided in required Test 11 and use ONC Test Data Scenario(s) 1, 2, 3, and 4.

Required Test 12 – CPOE Radiology/Diagnostic Imaging

Modified Stage 2 Objective 3 Measure 3 and Stage 3 Objective 4 Measure 3

System Under Test

The health IT developer records and creates four reports, one for each scenario. Note that the health IT developer may create each report for a single required test or they may create one report for all of the required tests for which they are seeking certification. The Health IT Module will populate the numerator when Radiology orders (Modified Stage 2) or Diagnostic Imaging orders (Stage 3) are ordered using CPOE.

The CPOE measure is only applicable to EPs participating in the Medicaid Promoting Interoperability Program and EHs/CAHs participating in the Medicaid Promoting Interoperability Program only. EHs/CAHs who are participate in both the Medicaid and Medicare Promoting Interoperability Programs or just the Medicare Promoting Interoperability Program are exempt from this measure.

Measure Description

Modified Stage 2 Measure:

- a. Eligible Professional/Eligible Hospital/Critical Access Hospital (EP/EH/CAH): More than 30 percent of radiology orders created by the EP or by authorized providers of the eligible hospital's or CAH's inpatient or emergency department (POS 21 or 23) during the EHR reporting period are recorded using computerized provider order entry.

Modified Stage 2 Measure English Statements:

- a. Ambulatory/Inpatient:
 - o Numerator: The number of radiology orders recorded using CPOE.

Modified Stage 2 Measure Elements:

- a. Ambulatory/Inpatient:
 - o Numerator: Radiology order recorded using CPOE.

Stage 3 Measure:

- a. Eligible Professional/Eligible Hospital/Critical Access Hospital (EP/EH/CAH): More than 60 percent of diagnostic imaging orders created by the EP or authorized providers of the eligible hospital or CAH inpatient or emergency department (POS 21 or 23) during the EHR reporting period are recorded using computerized provider order entry.

Stage 3 Measure English Statements:

- a. Ambulatory/Inpatient:
 - o Numerator: The number of diagnostic imaging orders recorded using CPOE.

Stage 3 Measure Elements:

- a. Ambulatory/Inpatient:
 - o Numerator: Diagnostic imaging order recorded using CPOE.

Test Lab Verification

The tester verifies that each report, including the numerator, is created correctly and without omission and includes sufficient detail to match the patients or actions in the numerator report to the measure's denominator limitations. The tester ensures that the correct patients are included in the numerator. The tester will use the information provided in required Test 12 and use ONC Test Data Scenario(s) 1, 2, 3, and 4.

Required Test 14 – Verify Opioid Treatment Agreement

Stage 3

Promoting Interoperability

System Under Test

The test approach for this Required Test is health IT developer self-declaration. Health IT developers are required to assess their health IT against the full scope of the product's required capabilities, including but not limited to regulatory/conformance expectation clarifications and interpretations set forth in the applicable Certification Companion Guides and other issued guidance. If the health IT developer has determined from the outcome of its own assessment that its product meets the required capabilities of the criterion, the developer must submit its self-declaration to the ONC-ATL.

Measure Description

Stage 3 Measure (2019 only):

- a. Eligible Hospital/Critical Access Hospital (EH/CAH): For at least one unique patient for whom a Schedule II opioid was electronically prescribed by the eligible hospital or CAH using CEHRT during the EHR reporting period, if the total duration of the patient's Schedule II opioid prescriptions is at least 30 cumulative days within a 6-month look-back period, the eligible hospital or CAH seeks to identify the existence of a signed opioid treatment agreement and incorporates it into CEHRT.

Stage 3 Measure English Statements (2019 only):

- a. Inpatient:
 - o Numerator: The number of unique patients in the denominator for whom the eligible hospital or CAH seeks to identify a signed opioid treatment agreement and, if identified, incorporates the agreement in CEHRT.

Stage 3 Measure Elements (2019 only):

- a. Inpatient:
 - o Numerator: Number of unique patients the eligible hospital or CAH has identified a signed opioid treatment agreement for and incorporated into CEHRT.

Promoting Interoperability Measures (2019 only):

- a. For at least one unique patient for whom a Schedule II opioid was electronically prescribed by the MIPS eligible clinician using CEHRT during the performance period, if the total duration of the patient's Schedule II opioid prescriptions is at least 30 cumulative days within a 6-month look-back period, the MIPS eligible clinician seeks to identify the existence of a signed opioid treatment agreement and incorporates it into the patient's electronic health record using CEHRT.

Promoting Interoperability Measures English Statement (2019 only):

- a. Numerator: The number of unique patients in the denominator for whom the MIPS eligible clinician seeks to identify a signed opioid treatment agreement and, if identified, incorporates the agreement in CEHRT. A numerator of at least one is required to fulfill this measure.

Promoting Interoperability Measure Elements (2019 only):

- a. Numerator: Number of unique patients the EC has identified a signed opioid treatment agreement for and incorporated into CEHRT.

Test Lab Verification

The tester must evaluate the self-declaration documentation for compliance against its defined requirements for the criteria. The tester may require the developer to list or reference their evidence/documentation from which the health IT developers has based their declaration of conformity.

Required Test 15 – Support Electronic Referral Loops by Receiving and Incorporating Health Information

Stage 3

Promoting Interoperability

System Under Test

The health IT developer records and creates four reports, one for each scenario. Note that the health IT developer may create each report for a single required test or they may create one report for all of the required tests for which they are seeking certification.

Measure Description

Stage 3 Measure (starting in 2019):

- a. Eligible Hospital/Critical Access Hospital (EH/CAH): For at least one electronic summary of care record received for patient encounters during the EHR reporting period for which an eligible hospital or CAH was the receiving party of a transition of care or referral, or for patient encounters during the EHR reporting period in which the eligible hospital or CAH has never before encountered the patient, the eligible hospital or CAH conducts clinical information reconciliation for medication, medication allergy, and current problem list.

Stage 3 Measure English Statements (starting in 2019):

- a. Inpatient:
 - o Numerator: The number of electronic summary of care records in the denominator for which clinical information reconciliation is completed using CEHRT for the following three clinical information sets: (1) Medication – Review of the patient's medication, including the name, dosage, frequency, and route of each medication; (2) Medication allergy – Review of the patient's known medication allergies; and (3) Current Problem List – Review of the patient's current and active diagnoses.

Stage 3 Measure Elements (starting in 2019):

- a. Inpatient:
 - o Numerator: The number of electronic summary of care records with an indication that clinical reconciliation of medications, medication allergy, and current problem list occurred.

Promoting Interoperability Measures (starting in 2019):

- a. For at least one electronic summary of care record received for patient encounters during the performance period for which a MIPS eligible clinician was the receiving party of a transition of care or referral, or for patient encounters during the performance period in which the MIPS eligible clinician has never before encountered the patient, the MIPS eligible clinician conducts clinical information reconciliation for medication, medication allergy, and current problem list.

Promoting Interoperability Measures English Statement (starting in 2019):

- a. Numerator: The number of electronic summary of care records in the denominator for which clinical information reconciliation is completed using CEHRT for the following three clinical information sets: (1) Medication – Review of the patient's medication, including the name, dosage, frequency, and route of each medication; (2) Medication allergy – Review of the patient's known medication allergies; and (3) Current Problem List – Review of the patient's current and active diagnoses.

Promoting Interoperability Measure Elements (Starting in 2019):

a. Numerator:

- The number of electronic summary of care records with an indication that clinical reconciliation of medications, medications allergy, and current problem list occurred.

Test Lab Verification

The tester verifies that each report, including the numerator, are created correctly and without omission and include sufficient detail to match the patients or actions in the numerator report to the measure's denominator limitations. The tester ensures that the correct patients are included in the numerator. The tester will use the information provided in required Test 15 and use ONC Test Data Scenario(s) 1, 2, 3, and 4.

Content last reviewed on December 31, 2019