

PO-IC834 FFM Transactions Files (OP834T) MIDAS to Issuer Outbound Specification

Standard:	TBD
Subject:	PO-IC834 FFM Transactions Files

Publication:	4/23/2015
Created:	4/23/2015
Current:	09/19/2017
Notes:	
Version:	V1.02

Table of Contents

MID- OP834T 2

01 MID-OP834TL01 3

MID- OP834T

The purpose of this message is to provide the details on IC834 FFM updates on a weekly basis, from the Multidimensional Insurance Data Analytics System (MIDAS). The report provides the status on update and additional details for each of the IC834 received. The files transmitted from MIDAS shall be delimited by pipes. Function code defined for this report is OP834T.

PO-IC834 FFM Transactions file is generated one per HIOS Id and will be a PSV file.

PO-IC834 FFM Transactions Files:

File Naming convention: <TPID>. OP834T.Dyymmdd.Tnnnnnnnnn.P

Comparison results are flagged “Yes” or “No” or “-“ :

Flag	Definition
YES	Matched : Inbound IC834 transaction data field passed match validation logic
NO	Failed to match: Inbound IC834 transaction data field failed match validation logic
-	Not Applicable for the Transaction Type

<u>ID</u>	<u>Name</u>	<u>Min Use</u>	<u>Max Use</u>
01 Detail	MID- OP834TL01	1	999999

The first record will be a header record.

01 MID- OP834TL01

Min Use: 1

Max Use:
999999

Grp:

Fields: 131

This record provides details on the PO-IC834 FFM Transactions File updates in production. The PO-IC834 FFM Transaction Update status would indicate if the transaction has been accepted or rejected. IC834 and FFM values will be populated in the report for all transactions.

<u>Pos</u>	<u>ID</u>	<u>FIELD</u>	<u>Type</u>	<u>Min Len</u>	<u>Max Len</u>	<u>Req</u>	<u>Usage</u>
1	01	Record_Code Purpose: Record Code - Value is "01"	String	2	2	Mandatory	Required
2	02	IC834_Receipt_Date Purpose: Date when inbound IC834 is received from issuer. The Format is CCYYMMDD	String	10	10	Mandatory	Required
3	03	FFM_Extract_Date Purpose: Date when FFM snapshot data was pulled for reporting. The Format is CCYYMMDD	String	10	10	Mandatory	Required
4	04	FFM_Last_Modified_Date Purpose: Date when policy record is last updated in FFM. The Format is CCYYMMDD HH:MM:SS	String	20	20	Mandatory	Required
5	05	HIOS_ID Purpose: This is the HIOS Id associated to the Transaction	String	5	5	Mandatory	Required
6	06	Trading_Partner_ID Purpose: This is Trading Partner ID assigned for issuer.	String	5	20	Mandatory	Required
7	07	Transaction_Type Purpose: Transaction type identified from IC834 Maintenance Type Code, Maintenance Reason Code and Additional Maintenance Reason Code. Undefined is treated as a mismatch and included in the file. Valid values: EFFECTUATION/TERMINATION/CANCELLATION/UNDEFINED/MAINTENANCE.	String	9	12	Mandatory	Required
8	08	Group_Control_Number Purpose: Group Control number from Inbound IC834, one of the key identifier for IC834 transaction	String	12	30	Mandatory	Required
9	09	Ic834_Interchange_Control_Nu mber Purpose: Interchange control number for Inbound IC834, one of the key identifier for IC834 transaction	String	12	30	Mandatory	Required
10	10	Transaction_Information_Cont rol_Number Purpose: Transaction information control number for Inbound IC834, one of the key identifier for IC834 record	String	1	9	Mandatory	Required

11	11	Transaction_Update_Status	String	10	15	Mandatory	Required
		Purpose: 'Accepted' and 'Accepted with Warnings' for successful IC834 updates in FFM, 'Rejected' for IC834 FFM validation failures, or 'PI Transaction' when a BAA record cannot be confirmed.					
12	12	Error Codes	String	100	100	Mandatory	Required
		Purpose: Reason for errors (E093, E046, E028, E054). More than one error codes shall be separated by comma.					
13	13	Issuer_X12_File_name	String	1	100	Mandatory	Required
		Purpose: Issuer X12 file name submitted to FFM in the IC834 transaction was received					
		Example: X12 Sent by Issuer {TPID}.DSH.IC834.D{YYMMDD}.T{HHMMSSmmm}.P.IN X12 Converted by EFT and received by EDI IC834.{TPID}.D{YYMMDD}.T{HHMMSSmmm}.P					
14	14	Exchange_Policy_Id_FFM_Val ue	String	25	25	Mandatory	Required
		Purpose: Policy ID value from FFM snapshot					
15	15	Exchange_Policy_Id_Ic834_Val ue	String	25	50	Mandatory	Required
		Purpose: Policy ID from IC834 transaction record					
16	16	Benefit_Begin_Date_FFM_Val ue	String	1	10	Mandatory	Required
		Purpose: Benefit begin date value from FFM Policy record (pulled from the 2300 loop). The Format is CCYYMMDD					
17	17	Benefit_Begin_Date_Ic834_Val ue	String	1	20	Mandatory	Required
		Purpose: Benefit begin date value from IC834 record. The Format is CCYYMMDD					
18	18	Exchange_Assigned_Subscribe r_Id_FFM_Value	String	20	20	Mandatory	Required
		Purpose: Subscriber ID value from FFM policy record.					
19	19	Exchange_Assigned_Subscribe r_Id_Ic834_Value	String	20	500	Mandatory	Required
		Purpose : Subscriber ID value from IC834 policy record					
20	20	Exchange_Assigned_QHPID_F FM_Value	String	20	20	Mandatory	Required
		Purpose: QHP ID value from FFM policy record					
21	21	Exchange_Assigned_QHPID_Ic 834_Value	String	20	20	Mandatory	Required
		Purpose: QHP ID value from IC834 policy record					
22	22	Subscriber_SSN_FFM_Value	String	9	9	Mandatory	Required
		Purpose: The Subscriber SSN from FFM is matched with Taxpayer Identification Number from IC834.					

23	23	Responsible_Person_FFM_Value	String	9	500	Mandatory	Required	Purpose: The responsible person SSN from FFM is matched with Taxpayer Identification Number value from IC834 if subscriber does not have SSN.
24	24	Sponsor_Taxpayer_Id_Ic834_Value	String	20	20	Mandatory	Required	Purpose: Taxpayer Identification Number value from IC834 record is matched with Subscriber's SSN or the responsible person's SSN.
25	25	Sponsor_Other_Id_FFM_Value	String	20	20	Mandatory	Required	Purpose: Sponsor other id value from FFM policy record.
26	26	Sponsor_Other_Id_Ic834_Value	String	20	20	Mandatory	Required	Purpose: sponsor other id value from IC834 transaction record.
27	27	Issuer_Taxpayer_Id_FFM_Value	String	20	20	Mandatory	Required	Purpose: Issuer Taxpayer id value from FFM policy record.
28	28	Issuer_Taxpayer_Id_Ic834_Value	String	20	20	Mandatory	Required	Purpose: Issuer Taxpayer id value from IC834 record.
29	29	Insurance_Line_Code_FFM_Value	String	1	6	Mandatory	Required	Purpose: Insurance line code value from FFM policy record.
30	30	Insurance_Line_Code_Ic834_Value	String	1	10	Mandatory	Required	Purpose: Insurance line code value from IC834 record
31	31	Exchange_Assigned_Member_Id_FFM_Value	String	1	500	Mandatory	Required	Purpose: Exchange assigned member id from FFM database. To determine this value, the member ID list from IC834 is compared against the FFM Member ID. Example (Subscriber only): {subscriber_id} Example (Subscriber & 2 Dependents – additional dependents follow the same formatting): {subscriber_id},{dependent_member_id},{dependent_member_id}
32	32	Subscriber_Id_FFM_Value	String	1	50	Mandatory	Required	Purpose: The Subscriber ID from the FFM
33	33	Exchange_Assigned_Member_Id_Ic834_Value	String	1	500	Mandatory	Required	Purpose: The exchange assigned member id value in IC834 record.
34	34	Subscriber_Id_Value	String	10	500	Mandatory	Required	Purpose: The subscriber id value from IC834 record.

35	35	Eligibility_Begin_Date_FFM_Value	Date	1	10	Mandatory	Required	Purpose: Eligibility begin date from FFM policy record. The Format is CCYYMMDD
36	36	Eligibility_Begin_Date_Ic834_Value	Date	1	10	Mandatory	Required	Purpose: Eligibility begin date from IC834 policy record. The Format is CCYYMMDD
37	37	Coverage_End_Date_FFM_Value	Date	1	10	Mandatory	Required	Purpose: Eligibility_end_Date in FFM is compared against the IC834 file using the following business rule logic. (uses data provided in items 38 and 39) Check for Cancellation Transactions - EligibilityEndDate from IC834=(EligibilityStartDate or EligibilityStartDate-1 day) from InsurancePlanPolicy for subscriberIndicator='True' Check for Termination Transactions - EligibilityEndDate from IC834_(EligibilityStartDate or (>=EligibilityStartDate and <= EligibilityEndDate)) from InsurancePlanPolicy for subscriberIndicator='True'
38	38	Coverage_Start_Date_FFM_Value	Date	1	10	Mandatory	Required	Purpose: Eligibility_Start_Date is used as part of the business rules to validated the Eligibility end date from IC834 (refer to business rule defined in Item 37) Format is CCYYMMDD
39	39	Eligibility_End_Date_Ic834_Value	Date	1	10	Mandatory	Required	Purpose: Eligibility end date from IC834 policy record. The Format is CCYYMMDD
40	40	FFM_Policy_Status	String	10	20	Mandatory	Required	Purpose: Current policy status from FFM database
41	41	Maintenance_type_code	String	10	20	Mandatory	Required	Purpose: maintenance_type_code value from IC834 record.
42	42	Maintenance_reason_code	String	10	20	Mandatory	Required	Purpose: maintenance_reason_code value from IC834 record.
43	43	Last_additional_maintenance_reason	String	10	500	Mandatory	Required	Purpose: last value of additional maintenance reason from IC834 record
44	44	Baa_element_in_error	String	10	500	Mandatory	Required	Purpose: Element in error field from BAA.
45	45	Baa_Modified_Data_Content	String	10	500	Mandatory	Required	Purpose: Modified data content from EDI BAA. For FFM BAA it will be N/A.
46	46	Prev_Issuer_Assigned_FFM_Values	String	1	4000			Purpose: Previous Issuer Assigned FFM Values

		Sample Value: PolicyID ;SubscriberID 153552; MemberID 153553, 153554, 153555;				
47	47	Curr_Issuer_Assigned_FFM_V alues	String	1	4000	
		Purpose: Current Issuer Assigned FFM Values Sample Value: PolicyID 2646220;SubscriberID 353552;MemberID 353553, 353554, 353555;				
48	48	Prev_Issuer_Assigned_IC834_ Values				
		Purpose: Previous Issuer Assigned IC834 Values Sample Value: PolicyID 1646220;SubscriberID 153552; Member ID 153553, 153554, 153555;	String	1	4000	
49	49	Curr_Issuer_Assigned_IC834_ Values	String	1	4000	
		Purpose: Current Issuer Assigned IC834 Values Sample Value: PolicyID 2646220;SubscriberID 353552; MemberID 353553,353554,353555;				