

PO-IC834 Reinstatement Transactions Files (RI834T) MIDAS to Issuer Outbound Specification

Standard:	TBD
Subject:	PO-IC834 Reinstatement Transactions Files

Publication:	3/22/2018
Created:	2/27/2018
Current:	02/27/2010
Notes:	
Version:	V1.0 DRAFT

Table of Contents

MID- RI834T 2

01 MID-RI834TL01 3

MID- RI834T

The purpose of this message is to provide the details on IC834 Reinstated transactions, from the Multidimensional Insurance Data Analytics System (MIDAS). The report provides the status on update and additional details for each of the Reinstatement received via IC834. The files transmitted from MIDAS shall be delimited by pipes. Function code defined for this report is RI834T.

PO-IC834 Reinstatement Transactions file is generated for every accepted reinstatement and will be a PSV file.

PO-IC834 Reinstatement Transactions Files:

File Naming convention: <TPID>. RI834T.Dyymmdd.Tnnnnnnnn.P

Comparison results are flagged “Yes” or “No” or “-“ :

Flag	Definition
YES	Matched : Inbound IC834 transaction data field passed match validation logic
NO	Failed to match; Inbound IC834 transaction data field failed match validation logic
-	Not Applicable for the Transaction Type

<u>ID</u>	<u>Name</u>	<u>Min Use</u>	<u>Max Use</u>
01 Detail	MID- RI834TL01	1	999999

The first record will be a header record.

01 MID- RI834TL01

Min Use: 1

Max Use:
999999

Grp:

Fields: 131

This record provides details on the PO-IC834 Reinstatement Transactions File updates in production. The PO-IC834 FFM Transaction Update status would indicate if the transaction has been accepted or rejected. IC834 and FFM values will be populated in the report for all transactions.

<u>Pos</u>	<u>ID</u>	<u>FIELD</u>	<u>Type</u>	<u>Min Len</u>	<u>Max Len</u>	<u>Req</u>	<u>Usage</u>
1	01	Trading_Partner_ID	String	5	20	Mandatory	Required
		Purpose: This is Trading Partner ID assigned for issuer.					
2	02	HIOS_ID	String	5	5	Mandatory	Required
		Purpose: This is the HIOS Id associated to the Transaction					
3	03	Tenant_ID	String	3	3	Mandatory	Required
		Purpose: This is Trading Partner ID assigned for issuer.					
4	04	Exchange_Policy_Id	String	25	25	Mandatory	Required
		Purpose: Policy ID value from FFM snapshot					
5	05	Exchange_Assigned_QHPID	String	25	50	Mandatory	Required
		Purpose: QHP ID value from FFM policy record					
6	06	Benefit_Begin_Date	String	1	10	Mandatory	Required
		Purpose: Benefit begin date value from FFM Policy record (pulled from the 2300 loop). The Format is CCYYMMDD					
7	07	Policy_Last_Maintenance_Date	String	8	8	Mandatory	Required
		Purpose: Policy Last Maintenance Date value from FFM Policy record. The Format is CCYYMMDD					
8	08	Policy_Last_Maintenance_Time	String	9	9	Mandatory	Required
		Purpose: Policy Last Maintenance Time value from FFM Policy record. The Format is Time (HHMMSSmm)					
9	09	Application_Id	String	1	15	Mandatory	Required
		Purpose: FFM-assigned identifier for the application created by the consumer associated with the enrollment record.					
10	10	IPP_Policy_Tracking_Number	String	1	15	Mandatory	Required
		Purpose: Segment Id.					
11	11	Exchange_Assigned_Subscriber_Id	String	20	500	Mandatory	Required
		Purpose: Subscriber ID value from FFM policy record.					

12	12	Exchange_Assigned_Member_Id	String	1	500	Mandatory	Required
Purpose: Exchange assigned member id from FFM database. To determine this value, the member ID list from IC834 is compared against the FFM Member ID. Example (Subscriber only): {subscriber_id} Example (Subscriber & 2 Dependents – additional dependents follow the same formatting): {subscriber_id},{dependent_member_id},{dependent_member_id}							
13	13	Issuer_Assigned_Policy_Number	String	20	500	Mandatory	Required
Purpose : Issuer assigned policy number from IC834 policy record							
14	14	Issuer_Assigned_Subscriber_Id	String	20	20	Mandatory	Required
Purpose : Issuer assigned Subscriber ID value from IC834 policy record							
15	15	Issuer_Assigned_Member_Id	String	20	20	Mandatory	Required
Purpose : Issuer assigned Member ID value from IC834 policy record							
16	16	Responsible_Person	String	9	500	Mandatory	Required
Purpose: The responsible person SSN from FFM is matched with Taxpayer Identification Number value from IC834 if subscriber does not have SSN.							
17	17	Previous_Transaction_Type_Code	Integer	9	9	Mandatory	Required
Purpose: Transaction type identified from IC834 Maintenance Type Code, Maintenance Reason Code and Additional Maintenance Reason Code. Undefined is treated as a mismatch and included in the file. Valid values: EFFECTUATION/TERMINATION/CANCELLATION/UNDEFINED/MAINTENANCE.							
18	18	Current_Transaction_Type_Code	Integer	9	9	Mandatory	Required
Purpose: Transaction type identified from IC834 Maintenance Type Code, Maintenance Reason Code and Additional Maintenance Reason Code. Undefined is treated as a mismatch and included in the file. Valid values: EFFECTUATION/TERMINATION/CANCELLATION/UNDEFINED/MAINTENANCE.							
19	19	Previous_Confirmation_Indicator	String	1	1	Mandatory	Required
Purpose: Indicates if the enrollment record is in effectuated status on the FFM; 'Y' indicates effectuated, 'N' indicates uneffectuated							
20	20	Current_Confirmation_Indicator	String	1	1	Mandatory	Required
Purpose: Indicates if the enrollment record is in effectuated status on the FFM; 'Y' indicates effectuated, 'N' indicates uneffectuated							
21	21	Previous_End_of_Year_Termination_Indicator	String	20	20	Mandatory	Required
Purpose: Indicates if the enrollment record will be terminated effective December 31st of the given plan year and should not be enrolled for the next plan year via the Batch Auto-Renewal process; 'Y' indicates terminated, 'N' indicates not terminated							

22	22	Current_End_of_Year_Termination_Indicator	String	20	20	Mandatory	Required
		Purpose: Indicates if the enrollment record will be terminated effective December 31st of the given plan year and should not be enrolled for the next plan year via the Batch Auto-Renewal process; 'Y' indicates terminated, 'N' indicates not terminated					
23	23	Previous_Benefit_End_Date	Date	1	10	Mandatory	Required
		Purpose: Benefit End date from FFM policy record. The Format is CCYYMMDD					
24	24	Current_Benefit_End_Date	Date	1	20	Mandatory	Required
		Purpose: Benefit End date from FFM policy record. The Format is CCYYMMDD					
25	25	Insurance_Line_code	String	3	3	Mandatory	Required
		Purpose: Insurance line code value from FFM policy record. Indicates whether health ("HLT") or dental ("DEN") coverage is represented by the enrollment record					
26	26	Record_source	String	1	6	Mandatory	Required
		Purpose: Insurance line code value from FFM policy record.					
27	27	Issuer_X12_File_name	String	1	100	Mandatory	Required
		Purpose: Issuer X12 file name submitted to FFM in the IC834 transaction was received					
		Example: X12 Sent by Issuer {TPID}.DSH.IC834.D{YYMMDD}.T{HHMMSSmmm}.P.IN X12 Converted by EFT and received by EDI IC834.{TPID}.D{YYMMDD}.T{HHMMSSmmm}.P					